
ENVIRONMENT AUDIT REPORT

2020-21

in compliance with the statutory requirements under the NAAC accreditation procedures



Principal Lead Auditor:

Mallikarjun A Kambalyal. CEA, ISO 50001, 14001 Lead Auditor.

SUNBSHUBH TECHNOVATIONS PVT LTD.

120-2, LGF, 'A' wing, IT Park, Hubli – 580029. Karnataka. India.

German off: Neuer Weg 166, 47803 Krefeld,
Dusseldorf. Germany Anbieter-Nr 1041388
Website: www.sunshubhrenewables.ocm
Email: ceo@sunshubhrenewables.com





ABOUT SUNSHUBH TECHNOVATIONS PRIVATE LIMITED

Sunshubh Technovations Private Limited is registered in the year 2020 and has evolved from initial proprietary concern, Sunshubh Renewables & Research Centre. Sunshubh has been in operation since 2008. Sunshubh today is led by a team of well experienced Certified Energy Auditors and tech-savvy young engineers.

We believe in Identifying opportunities and executing solutions based on need with highest priority to Energy conservation over efficiency.

Since beginning, Sunshubh has been growing and today, we have wide range of clientele In the field of Industry: Tool room, Chemicals and refinery, Mining, Health, Hospitality, Food processing, Infrastructure and Educational institutions under NAAC compliance. Our approach has been very aggressive in equipping ourselves with the latest instruments.

After decade of professional experience, we restructured ourselves and thus the formation of a Private Limited company on 22nd July 2020.

Today we have with us the technical team comprising three Certified Energy Auditors, One Certified Energy Manager and support team of young and enthusiastic engineers to comply to the client requirements.

POLICY MATTERS

Learning from our training in Germany and their policies, SUNSHUBH does not supply any energy saving equipment's or systems. However, we do stand up to support and execute the measures to prove our findings right. This is mandatory to assure the client that we do not market any self-centred product or orient the Audit assignment to sell any third party product. Meaning to say we stand neutral to all methodologies in the interest of adopting best technologies.

We strongly believe in sharing our knowledge and training inhouse manpower for continual improvement in energy flow.

We have set a policy not to hire the instruments from third party but to procure every small or big ones to do justice to our clients.

CONTENTS

CARBON FOOTPRINT - GREEN PLEDE (proposed)	
EXECUTIVE SUMMARY	
CRITERION VII - INSTITUTIONAL VALUES AND BEST PRACTICES	
PART 1 - GENERAL	
ACKNOWLEDGEMENT:20	
ENVIRONMENT AUDIT COMPLETION CERTIFICATE	
ONGOING STATUS:	
WHY IS THIS AUDIT BEING CARRIED OUT?	
WHAT IS AN ENERGY AUDIT?	
WHY SHOULD YOU GET AN ENERGY AUDIT?	
ENVIRONMENT AUDIT OBJECTIVES	
THE GOALS OF GREEN AUDIT	
UNDERSTAND THE SCOPE OF AUDIT	
GEOGRAPHICAL CONSIDERATIONS:	
CLIMATIC CONDITIONS	
CLIMATIC CONDITIONS34	
CLIMATE HUBBALLI (INDIA)	
CLIMATE GRAPH // WEATHER BY MONTH HUBBALLI	
AVERAGE TEMPERATURE HUBBALLI	
WEATHER BY MONTH // WEATHER AVERAGES HUBBALLI	
LIMITATIONS: 36	
DISCUSSIONS ON EXECUTIVE SUMMARY:	
Geographical layout38	

Images as captured on site......

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about

What is Galvanic Corrosion?	46
How do we prevent Galvanic Corrosion - Electrolysis from occurring?	46
Lead	47
Sulfuric Acid	48
Cadmium	49
Ventilation	50
Regeneration of week batteries for the Second/Third lease of life	51
HACCP PRACTICES – gender equality:	52
FIRE PREVENTION & SAFETY :	53
Placement Gas fuel cylinders:	55
Rainwater Management	56
Medicinal plantation	57
The small fish pond adds bionetwork while helping maintain humidity. A ver	
idea	57
VERMICOMPOST.	58
Rooftop : Passive cooling	60
Sound pollution:	61
Grey Water management.:	62
LIMITATIONS:	64
AUTHENTICATION & DATE OF ENVIRONMENT AUDIT:	64
LIST OF INSTRUMENTS:	
ACTION PLAN SUMMARY:	66
MODE OF ACTION:	66
Malan	67

IMAGES AS CAPTURED ON SITE.

Figure 1 - Home energy pyramia	
Figure 2 - Bureau of energy Efficiency Regd No: EA3485	53
Figure 3 - ISO Certified Lead Auditor. Certificate No: 47730	24
Figure 4 - ISO Certified Lead Auditor. Certificate No: ENR-00253448	25
Figure 5 - Manager training programme, Germany	26
Figure 6 - Fit for partnership with Germany	27
Figure 7= Satellite view of the College campus (2017 image)	38
Figure 8 - Regeneration of ecology	39
Figure 9 - Watering the lawn	40
Figure 10 - Sprinkler, Consumer much less water and time	41
Figure 11 - absence of waste collection bins in the corridor	42
Figure 12 - Local soursed waste collection bin	44
Figure 13 - Placement of battery without ventilation	45
Figure 14 - Galvanic reaction: causes self discharging and degradation	46
Figure 15 - Pad dispenser	
Figure 16 - No easy access to incenerator	
Figure 17 - No ready access to fire extinguisher.	53
Figure 18 - Fire extinguisher Operating instructions	53
Figure 19 - Fire extinguisher: Class	54
Figure 20 - Types of Fire extinguishers	54
Figure 21 - Placement of LPG cylinders in wrong location	
Figure 22 - LPG Cyclinders use and placement	55
Figure 23 - RainWater	
Figure 24 - Medicinal plantation	57
Figure 25 - Medicinal plantation	57
Figure 26 - Vermicompost	58
Figure 27 - composted kithchen waste	59
Figure 28 - Algae Parched terrace	60
Figure 29 - measured sound near the class room	41

THOUGHT FOR EVERY MOMENT

CARBON FOOTPRINT - GREEN PLEDE (PROPOSED)

We the Principal, the staff and students, adopt responsible practices in our daily activities with due regard to the environment. We set and continually review objectives and targets for achieving our goal to protect our entire college premises in front, backyard and all other non-approachable areas of all primary and secondary pollutions.

We seek to compile with safety and environmental regulations to implement inhouse standards to improve our environmental performance. We commit ourselves to the safe operation of all our working habits, be it in classrooms, library, canteen, on road, off road, in-campus out-campus as well as at our place of stay. We adhere to reduce environmental load by efficiently using resources, saving energy, reducing waste, encouraging material recycle, with special emphasize to minimising emissions of greenhouse gases, ozone depleting substance and particle matter.

We endure to minimise environmental loads and adopt environmentally friendly technologies when ordering and purchasing necessary products and resources. We endure to attend educational programs and promulgate our close friends and colleagues to follow suite We endure to ensure that we recognize the essence of this Green policy by actively and aggressively conducting workshops and training to all in environmental concepts. We make wide ranging social contribution to close association with the students, teaching staff, administrative staff, housekeeping staff by disclosing environmental information and supporting environmental consumption.

-Sd-Principal

(Indicative templet for display at all prominent areas, waiting rooms, canteen, library, relaxing areas in the campus.)

EXECUTIVE SUMMARY.

For details, please follow the discussions in the report.

SI	Observations	Issues & Problems	Resulting losses	Remedial measures	Capit	Projected savings
1	Water manage- ment.	Flooding the lawns.	Excess water consumed.	Sprinkler.	@ Rs1000 /- per unit.	Energy & Water savings
2	Organic waste manage- ment.	System needs to be brought into order.	Handling costs	Composti ng at point of source	Nil.	Third party handling costs
3	Clear windows	Distraction of attention	Failed objective.	Filming	Few thous ands	Better academi c results.
4	Rainwater Harveting Abuse and Use.	Water contaminati on	Loss of quality water source.	Proper filtration should be incorpora ted.	@ ₹8000/ -	Third party supply.
4	Chemical waste disposal	Attracts pollution control boards authorities and capital costs	Loss of revenue	Good use practices.	Nil	Longer/ex tended life of Batteries

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year,

SI	Observations	Issues & Problems	Resulting losses	Remedial measures	Capit	Projected savings
	LPG (Fuel) cylinders storage and manage- ment.	Fire hazards	Loss of life and loss of assets	Organise d way of handling of explosives	Nil or minim um	Safety in place.
5	HACCP practices.	Inconvenien t and non- operation of assets and utilities provided.	Added manpower costs.	Provide Sanitary pad dispensers at easy & where required.	₹. 15000/ - per unit.	Health safety comp liance.
6	Utility Management.	Maintenanc e	Inefficient operation.	Periodical cleaning	NIL	Increased efficiency
7	Food wastage and waste minimisation.	Random disposal	unaccounta bility	Segregat e, weigh and deliver.	NIL	Minimised wastage.
8	Construction waste management.	Un accountabili ty	Call for penalty or pollution	Land use change	Labelli ng & Transp ortatio n	Organise d and complian ce.
9	Asset management.	Unaccounta bility	Loss of records	Move the unused assets to proper store area.	NIL	Increased accounta bility.

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year,

SI	Observations	Issues & Problems	Resulting losses	Remedial measures	Capit al	Projected savings
10	Indoor Air Quality	Inhaling of polluted air	Human inefficiency	Fresh air filters	₹.10k- 100k	Complain s OSHO Safety standards
11	Fire Safety	No training, awareness and non- suitable place.	Loss of assets	Training and awarenes	NIL/Mi nimu m	Emer- gency prepared ness.

CRITERION VII - INSTITUTIONAL VALUES AND BEST PRACTICES

Key Indicator - 7.1 Institutional Values and Social Responsibilities

Metric No.	Description	Complian ce	Initiatives required
7.1.1 QIM	Measures initiated by the Institution for the promotion of gender equity during the last five years. Annual gender sensitization action plan Specific facilities provided for women in terms of: Safety and security - Energy	Partly Complied	Our The concept of home energy management in relation to the environmental impact may be initiated for the women. Detailed discussion on CARBON HANDPRINT should be discussed at length. The typical illustration is reproduced.




Figure 1 - Home energy pyramid

Discuss on why the recent Environmental Consciousness calamities keep occurring and Sustainability more often than before.

SUNSHUBH TECHNOVATIONS PVT LTD Page No. 12 of

Irrespective of the Complied through

The Institution has facilities for alternate sources of energy and energy conservation

7.1.2

 Q_nM

7.1.3

QIM

measures

parent

society.

- Solar energy Biogas plant
- Wheeling to the Grid
- · Sensor-based energy con
 - servation
- Use of LED bulbs/ power efficient equipment

impact, the institute should 7.

consider the renewable energy projects as they impart the Qr of green sense Such as Solar

Power, Wind energy, Bioga plant in Hostel mess.

alternatives.

If renewable energy projects are installed the excess power

can be exported to grid on non-working hours. Sensor based control is a must, for energy use optimization.

Complete the ongoing work at a faster pace. Energy consumption

Describe the facilities in the Complied Institution for the management of the following

types of degradable and nondegradable waste (within 500 wordsl

Solid waste management Liquid waste management Biomedical waste management

E-waste management Waste recycling system Hazardous chemicals radioactive waste manage-

ment

details partially need to be monitored and the

benefits of avoided accumulated energy use and power demand should be established.

THOUGHT FOR EVERY MOMENT

wrt

minimising

			3
7.1.4	Water conservation facilities	Complied	The institution should consider
	available in the Institution:		in measuring the energy and
Q_nM		Open	power demand at various
	Rain water harvesting	ground	ground water table to
	Borewell /Open well recharge	percolati	demonstrate the impact of
	Construction of tanks and	on,	increased water table by
	bunds	Open well	rainwater harvesting methods.
	Waste water recycling	restoratio	Kindly refer to the article listed
	Maintenance of water bodies	n.	at the end of the table.
	and distribution system in the	Percolatio	
	campus	n pond	
		near to	
		open well	
7.1.5	Green campus initiatives	Partially	With disciplined vehicle
	include (4)	complied.	parking the reduction in fuel
Q_nM	7.1.5.1. The institutional		consumption can be
	initiatives for greening the		demonstrated in the college
	campus are as follows:		campus. The students can be
	Restricted entry of		given a task of conducting
	automobiles		such practical's on field and a
	Use of Bicycles/ Battery		competition in house should
	powered vehicles		educate the society.
	Pedestrian Friendly pathways		90
	Ban on use of Plastic		
	landscaping with trees and		
	plants.		
7.1.6	Quality audits on environment	Complied	The audit findings should be
	and energy are regularly		predominantly projected by
QnM	undertaken by the institution		action from all stake holders of
	(5)		the institution.
	7.1.6.1. The institutional		
	environment and energy		
	initiatives are confirmed		
	through the following		

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year.

			7016
7.1.7 Q _n M	1. Green audit 2. Energy audit 3. Environment audit 4. Clean and green campus recognitions/awards 5. Beyond the campus environmental promotional activities The Institution has disabled-friendly, barrier free environment Built environment with ramps/lifts for easy access to classrooms. Disabled-friendly washrooms Signage including tactile path, lights, display boards and signposts	The initiatives have been considere d.	The demand for muscle power to climb the ramp may be considered as one such case and ideally establish the gradient of the ramp.
	Assistive technology and facilities for persons with disabilities (Divyangjan) accessible website, screen-reading software,		
	mechanized equipment Provision for enquiry and information: Human assistance, reader, scribe, soft copies of reading material,		
7.1.9	screen reading Sensitization of students and	Need to	The sensitization of switching off
Q _I M	employees of the Institution to the constitutional obligations: values, rights, duties and responsibilities of citizens	explore.	The sensitization of switching off the non-required electrical appliances and devices should be encouraged. Like

	Describe the various activities in the Institution for inculcating values for being responsible citizens as reflected in the Constitution of India within 500 words.		organizing the inhouse competition. Every student to table their energy bills in the previous year. The savings in the forth coming year should be recorded and an energy ambassador award be shouldered on the top students. This activity brings in the sense of responsibility, accountability and importantly knowing there energy use and abuse.
7.1.10 Q _n M	The Institution has a prescribed code of conduct for students, teachers, administrators and other staff and conducts periodic programmes in this regard. The Code of Conduct is displayed on the website. There is a committee to monitor adherence to the Code of Conduct. Institution organizes professional ethics programmes for students, teachers, administrators and other staff. Annual awareness programmes on Code of Conduct are organized.	Complied	A range of activities can be brought in just as discussed in 7.1.9 above.

monetary contributions as well.

7.1.11 Q ₁ M	Institution celebrates organizes national and international commemorative days, events and festivals Describe the efforts of the Institution in celebrating /organizing national and international commemorative days, events and festivals during the last five years within 500 words		the actual celebration has to be year long. The theme for the year has to be laid and the activities should be conducted and on the day of celebration the selective activities be carried out. Just to illustrate, Consider the Republic day. We celebrate the flag hoisting and with cultural activities. Consider the week long program where in, students can discuss what is the Republic day. How the final draft got to be written and who all are the members of the draft committee.
			https://en.wikipedia.org/wiki/C
			onstitution of India
7.2.1	Describe two best practices	Complied	
QIM	successfully implemented by	•	When the listed activities from
	the Institution as per NAAC		7.1.1 to 7.1.11 are complied,
	format provided in the		the institute can have many
	Manual.		creative best practices and the
			achievements can really bring
			in the name, fame and the
			recognition and appreciation
			not just on records but on



EDITORIAL BOARD

Patron-in-Chief Shn Vilao Mutternwar Hon ble Minister of State (MNES) Patron Shri A.M. Gokhale, Secretary, MNES Editor-in-Chief Shri Debashish Majumdar, Managing Director, IREDA Executive Editor: Dr P. Venkata Ramana, Winrock

International USA Editorial Coordinator: Mr Arvind Reddy, Winrock

International India

MEMBERS

Ma Anita Ahuia, Concerve Shri A.K. Asthana, Nasional Productivity Council Ms Leena Mehendale, PCRA Shri B.V. Rao, IREDA Shri Brahmanand Mohanty, Energy Efficiency Specialist

Shri Bhankar Nataraian India-Canada Environment Facility

Shri S. Padmanaban, USAID, India Shri V. Raghuraman. Confederation of Indian Industry Shri S. Ramapwarny, GTZ - India

WINROCK EDITORIAL TEAM

Layout & Design Copyedit Mathewo Thayil Bhawani Shankar Jaioon Jooe

The views expressed in the articles are those of the authors and do not necessarily reflect those of IREDA

इन लेखों में प्रकट विचार मूलतः लेखकों के हैं तथा यह आवश्यक नहीं है कि झेडा या विनरीक भी इन विवारों से सहमत हो ।

This publication is supported by

Indian Renewable Energy Development Agency IREDA is a financial institution set up by MNES to provide concessional financial support to energy efficiency/ conservation and renewable energy sectors. For more

information, see IREDA web site www.iredaltd.com

Core-4A, East Court, 1st Floor India Mabitat Centre, Lodhi Road, New Delhi-110003 Tel: 91-11-2468 2214-21 Fax: 91-11-2468 2204 E-mail: efficiency@rediffmail.com Webaite www.iredaltd.com

FROM THE EDITOR-IN CHIEF

The simple economics of water and energy security



t is estimated that the global annual use of commercial energy is about 400 Quads (quadrillion BTUs). The sun pours an additional 6 million Quads of radiant energy into the Earth's atmosphere each year. Thus in absolute terms, energy available is several orders of magnitude higher than demand. Yet, the world continues to struggle against an acute energy crisis. This leads one to believe that the problem is not merely of energy availability but rather a problem of affordability. Energy is a matter of pure economics, of demand and supply - at a cost.

A similar principle applies to water. Though roughly 80 percent of the Earth's surface is water, cheap potable and clean water is simply beyond the reach of millions across the world. Potable water sourcing, treatment, and distribution require considerable amounts of energy. Access to water is therefore closely linked to energy availability and affordability.

This close interdependence between energy and water needs to be clearly recognized and the nexus addressed suitably at the policy level. The first and foremost priority of any energy policy should be the wise, efficient use of whatever energy supplies are available. Similarly, priority should be given to the efficient use of whatever water supplies exist. Once the issue of efficient use has been tackled, focus can then be shifted on creating new energy and water supplies that meet sustainability and environmental requirements. And this may not be as difficult to achieve as it appears.

As in the case of energy use, the difficult part is reducing the quantum of water use while maintaining the level of benefits both for the customer and the utility. If this can be addressed, water utilities can save money as the reduced demand effectively creates more system capacity. With decreasing demand, the water utility effectively avoids additional investments in new facilities and equipment. Reduced volume of water flowing through the system has the attendant advantage of reduced frictional energy losses, thereby reducing the cost of pumping. This leads to a win-win situation for both the consumer and the utility, with the consumer benefiting through the reduced cost of delivery, diminished chances of water shortfalls, and the utility benefiting from decreased likelihood of major investment expenditures.

Needless to say that all this also saves energy. In rural areas, a large number of irrigation pump sets are either operated at highly subsidized electricity tariff from the power utilities or at no cost at all, encouraging the use of poorly designed inefficient pump sets which are over-rated and over-used. Replacing these pump sets with energy-efficient ones is one option, but who bears the cost? Another option is rainwater harvesting. For every one foot increase of the water table one achieves an approximate savings of 1 percent power.

Which means one gets more for the same energy use. That's simple economics. May.

Debashish Majumdar Managing Director, IREDA

The Bulletin on Energy Efficiency

INSIGHT

Water-Energy: two faces of a coin

There is a direct relationship between water and power. A reduced water table is directly proportional to the square of the increased electrical power consumption, says the author

e all presume that if the dams and reservoirs are full then electrical power could be available in plenty. However, we tend to ignore that the demand for electrical power has been growing at a much faster rate than what we can produce and, hence, any amount of rain and or electrical power generated is insufficient to meet our demand. Most thermal power plants are running low owing to a short supply of coal. So where are we?

The recent changes in temperature and erratic rainfall has a direct relationship with urbanization With increased urbanization and industrialization, we have only created a greater need for energy. This energy is sourced primarily from fossil fuels such as coal and nuclear power plants. In the absence of rains, the only means of generating electrical power is by burning fossil fuels. The burning releases emissions into the atmosphere, resulting in increased CO. concentration in the troposphere, and subsequently the greenhouse effect. The disturbed rainfall pattern is a result of this global warming.

The demand for power can be classified into four areas: agricultural need-based, industrial need-based; commercial need-based; and domestic need-based.

Today, a number of agencies such as the Bureau of Energy Efficiency (BEE), Petroleum Conservation Research Association (PCRA), the National Productivity Council (NPC) and a host of voluntary organizations, are working at ensuring energy efficiency in industries. But while the commercial and domestic need-based sectors have the potential, little is being done in this area. These sectors need a lot of education, motivation and awareness.

The agricultural industry needs the greatest attention, mainly in irrigation pump-sets (IPs). Most IPs are being operated free or on highly subsidized electricity supply. But eventually they consume a lot of power.

consume a lot of power

For instance, there are 16,000 irrigation pumps reportedly being operated under the HESCOM (Hubbi Electric Supply Company), a division in North Karnataka. If, on an average each 5 HP pump consumes 3.73 kW of power per hour (there are actually a greater number of 10 HP pumps), the total consumption is as below:
For 10 hours per day = 37.30 kWh For 200 days of watering = 7,460 kWh (7.46 MWh/pumpset)
For 16,000 sets, it is 119,360 MWh

which means, 358,080 MWh of power generation at the power plant.

To reduce this consumption, should the IP users be asked to change over to

- energy-efficient sets? The question is:

 can the users afford the change?
- are they willing to accept the new brands of sets imposed on them?
- can the sale of inefficient IP sets be controlled?

Or should measures be adopted where the users may not use the IPs at all? Or can power consumption be reduced?

One good method is to reduce power consumed by IP sets by increasing the water table. If the water table can be increased by, say, 13 ft, then for the same 150 LPM delivery we will need a 4 HP (2.984 kW), and the savings for 16,000 IP sets would be 23,872 MWh, which is 20 percent – approximately 1.5 percent power saving for every feet of increase in the water table. This increase in water table can be achieved by adopting rainwater harvesting – through either bunds or by natural

filtration tanks or by preventing pumping of water by making use of rainwater

Now who meets the cost of these programs is one big question. Let us see how the electrical supply company benefits: If the organization spends around Rs 5,000 per IP set, we have Rs 800 crore as the capital investment on rainwater harvesting. For an annual savings of 23,872 MWh of electrical power, a savings of Rs 9.55 crore at the rate of Rs 4 per kWh for every feet increase in the water table.

It is always better not to use energy than try and save energy

When a process industry utilizes water for its operations, then this water has to be demineralized or softened. To do this, it will need electrical power. Also due to dissolved solids and increased concentration, repeated breakdowns may happen, demanding periodic maintenance and scraping of industrial components, which means more energy consumption.

Now, greater the amount of rainwater harvested, lesser will be the dissolved solids, which means less breakdowns and increased fuel savings. Once the fuel consumption comes down, the release of CO₂ into the atmosphere is also reduced. Reduced CO₂ means lesser effect on global warming. This will then lead to stable weather conditions and predictable monsoons. Once the ecological cycle is renewed, achieving a balance between industrial, agricultural and environmental growth is easy.

Water is a renewable source of energy and must be conserved.

Courteey: Mallikarjun A. Kambalyal. Precident, Sunchubh Renewable Energy Foundation E-mail: mallu_colar@yahoo.co.uk

The Bulletin on Energy Efficiency

wgust 2005 Val 6 hour 1

18

PART 1 - GENERAL

CARBON FOOTPRINT - GREEN PLEDGE (PROPOSED)

We the Principal, the staff and students, adopt responsible practices in our daily activities with due regard to the environment. We set and continually review objectives and targets for achieving our goal to protect our entire college premises in front, backyard and all other non-approachable areas of all primary and secondary pollutions.

We seek to compile with safety and environmental regulations to implement inhouse standards to improve our environmental performance. We commit ourselves to the safe operation of all our working habits, be it in classrooms, library, canteen, on road, off road, in-campus out-campus as well as at our place of stay. We adhere to reduce environmental load by efficiently using resources, saving energy, reducing waste, encouraging material recycle, with special emphasize to minimising emissions of greenhouse gases, ozone depleting substance and particle matter.

We endure to minimise environmental loads and adopt environmentally friendly technologies when ordering and purchasing necessary products and resources. We endure to attend educational programs and promulgate our close friends and colleagues to follow suite We endure to ensure that we recognize the essence of this Green policy by actively and aggressively conducting workshops and training to all in environmental concepts. We make wide ranging social contribution to close association with the students, teaching staff, administrative staff, housekeeping staff by disclosing environmental information and supporting environmental consumption.

-Sd-

Principal

(Indicative templet for display at all prominent areas, waiting rooms, canteen, library, relaxing areas in the campus.)

ACKNOWLEDGEMENT:

SUNSHUBH TECHNOVATIONS PVT LTD., is pleased to express its sincere gratitude in the management of KLE Society's Shri Kadasiddheshwar Arts College and H. S Kotambri Science Institute, Hubballi, Karnataka, for entrusting SUNSHUB TECHNOVATIONS PVT LTD., with the assignment on Green Earth practices base on Educate, Practice, Advocate & Manage the resources in their educational organization.

We also wish to thank the officials and the maintenance staff for the help rendered during the energy flow study.

We would fail if we neglect to appreciate the sincere efforts put in by the 7th Criteria Team lead by the able and motivating Principal Dr. Uma V. Nerle and the students who against all odds have kept the college premises clean to the possible limits. Without the crucial and significant support from the fellow teaching team the energy savings and carbon footprint reduction would not be a reality.



With the motivational support of the management, ground realistic support from teaching team and sincere efforts of the students in incorporating the change (habits) and instructions, the college could effectively declare the reduction in Carbon footprint and optimize the waste reductions.

We are not in a position to compute the carbon foot print at this point of time of the basic information from each of the students is yet to be collected; however we will discuss the Carbon Foot print in the follow up compliance report.

Wishing the team, a great success we deeply express our gratitude and heartfelt "THANKYOU" for allowing us to assess the energy flow scenario there by the ENERGY STATUS.

We acknowledge the involvement of HODs & Coordinator

Name	Designation
Dr. Uma V Nerle	Principal
Shri S N Emmi	IQAC Coordinator
Dr Siddesh M B	Co-Coordinator IQAC
Smt S S Patted	Convener Criteria 7
Dr. K S Betageri	Convener Green Audit
Smt Devadatta Y	Convener

Mallikarjun A. Kambalyal. B.E.(E&C). Certified Energy Auditors (EA-3485) SUNSHUBH TECHNOVATIONS PVT LTD.,

ENVIRONMENT AUDIT COMPLETION CERTIFICATE

I. Mallikarjun A Kambalyal, endorse and confirm that the ENVIRONMENT Audit h_{05} been carried out on 6th Aug 2020 under the instructions of Principal, Dr. $Um_0 v$. Nerle for KLE Society's Shri Kadasiddheshwar Arts College and H. S. Kotambi Science Institute, Hubballi, Karnataka. This report is generated based on the site visits and evidence collected from the site.

All attempts have been made to evaluate the scope for development and inculcate green practices in the campus and extended throughout the campus. The focus is also laid to make positive impact on the society for a better living.

I also confirm and sign this certificate, in case the institution needs demonstration, my team of professionals shall be happy to do so.

We present this report to much more than the legal or mandatory compliances. This report is tabled in two parts. The first forms the core discussions which are general in nature. The second section is subject specific under the statutory requirements of the NAAC accreditation norms. They are Audit reports on, Green aspects, Energy aspects, Environment aspects, Health aspects and the discussions on net CARBON FOOTPRINT & the CARBON HANDPRINT initiatives.

Any modifications, changes, omissions after the site visit shall be exclusive.

Authorised Auditor.

Mallikarjun A. Kambalyal B.E (E&C)

Certified Energy Auditors EA-3485& ISO 50001:2011 & ISO14001:2015 Lead Auditor.

Original Hard copy is sent along with the printed report.



BUREAU OF ENERGY EFFICIENCY

Examination Registration No.	F.A-3485	Serial Number	2838	
Certificate Registration No .				



Certificate For Certified Energy Illanouer

This is to certify that Mr./Mrs. Mallikarjun A Kambalyal

Son/Daughter of Mr./Mrs. Andanappa V Kambalyal who has passed the National

Examination for certification of energy manager held in the month of April 2006 is

qualified as certified energy manager subject to the provisions of Bureau of Energy Efficiency (Certification Procedures for Energy Managers) Regulations, 2010.

This certificate shall be valid for five years with effect from the date of award of this certificate and shall be renewable subject to attending the prescribed refresher training course once in every five years.

His /Her name has been entered in the Register of certified energy manager at Serial Number 2838 being maintained by the Bureau of Energy Efficiency under the aforesaid regulations.

1/2

Bureau of Energy Efficiency New Delhi

Dates of attending the refresher course	Secretary's Signature	Dates of attending the refresher course	Secretary's Signature
28.01.2020	(3)		

Figure 2 - Bureau of energy Efficiency Regd No: EA3485

Certificate of Successful Completion



This is to Certify that

MALLIKARJUN A KAMBALYAL

has successfully completed the

Intertek

CQI & IRCA Certified ISO 14001:2015 **Auditor Conversion Training Course**

The Course includes the assessment and evaluation of Environmental Management Systems to conform to the requirements of ISO 14001:2015 and ISO 19011:2011

This course is certified by the Chartered Quality Institute (CQI), and the International Register of Certificated Auditors (IRCA) IRCA REFERENCE 18093 -

The course meets the training requirements for individuals seeking certification under the IRCA Auditor Certification Schemes







Authorising Signature: Vyft a Munera

Course Dates: 14' - 16" July 2017 Certificate Number: 47730 Membership Application In Be Made Within 5 Years From Last Day of Course



Figure 3 - ISO Certified Lead Auditor. Certificate No: 47730

making excellence



BSI Training Academy

This is to certify that

Mallikarjun A. Kambalyal

has attended and passed

Energy Management Systems (ENMS) Auditor/Lead Auditor Training Course (ISO 50001:2011)

10000 DE

Fremanand Ramakrishnan, Director of Training

Date: 14/04/2016 - 18/04/2016 - Conflicate Number: ENR-00253448

This certificate is valid for 3 years from the date above for the purpose of registering as an auditor with FACA.

0

Course number A17583 certified by IRCA

The break Standards Institution is incorporated by Royal Charlet.
EST indus, The Mar Corporate Sultan (A-2), Plot 1 & 2 ahreat Nagar Mathina Rosat, New Darin 110065, buds Tel: +31 11 2002 6000
EST indus, The Mar Corporate Sultan (A-2), Plot 1 & 2 ahreat Nagar Mathina Rosat, New Darin 110065, buds Tel: +31 11 2002 6000

bsi

Figure 4 - ISO Certified Lead Auditor. Certificate No: ENR-00253448



Teilnahmebescheinigung

Mr. Mallikarjun Andanappa Kambalyal

has successfully completed the

Manager Training Programme of the Federal Ministry of **Economics and Technology**

Germany, September 02 - 28, 2013

Energy Efficiency in Industrial Enterprises

Cologne, September 28th, 2013

Dr. Steffi Arti

(Geschäftsführerin)

(Geschäftsführer)

TÜV Rheinland Akademie GmbH • Alboinstr. 56 • 12103 Berlin

Figure 5 - Manager training programme, Germany





Certificate

Fit for Partnership with Germany

Mr Mallikarjun Kambalyal

has successfully participated in the

Manager Training Programme of the Federal Ministry of Economics and Technology with India

from September 2 to September 28, 2013 in Germany.

The programme was carried out by the TÜV Rheinland Akademie, Cologne.

The Manager Training Programme is funded by the Federal Ministry of Economics and Technology of the Federal Republic of Germany. GIZ is the general manager and coordinator of the programme.

Bonn, September 2013

Reimut Düring

Head of Manager Training Programme

Senior Project Manager

Head of Manager Training Programme-GIZ – Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH Senior Project Manager GIZ – Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH

Figure 6 - Fit for partnership with Germany

ONGOING STATUS:

It's an optimistic & highly dedicated team effort lead by the Principal & the senior staff who staff who have dedicated all their wits & free time to initiate Green Carpet the entire college premises. It is also a fact that there do exist few short comings which however is unintentional & on being trained & educated the campus should look for continuous. for continued minimized waste generation. With all due appreciation to the management, staff involved & cooperation by the students, we have made few suggestions which on implementation, will reduce, demand for water & electrical power. It will also reduce the existing level of pollution to bear minimum.

NO WASTE - NO POLLUTION - NO HEALTH HAZARD.

WHY IS THIS AUDIT BEING CARRIED OUT?

Whether you own or manage a small business, a large commercial facility, or $\mathfrak g$ manufacturing operation, it's important to take advantage of any tips, programs and incentives that will help you save money on your energy bills. There are measures that will generate savings to positively impact your bottom line immediately, as well as longer-term strategic initiatives to assess your needs and stabilize your energy spend in the longer term – which is great news for your budget!

One such initiative is an energy audit. Energy audits reveal your usage patterns, identify waste, over-expenditure and, generally, make you fully cognizant of where your energy dollars are going. This knowledge will enable you to be more efficient with your energy use and be able to track and accelerate savings. Energy Audits may sound expensive or complicated, but they can be free and are easier than you think.

WHAT IS AN ENERGY AUDIT?

An energy audit is an analysis of a facility, indicating how and where that facility can reduce energy consumption and save energy costs. Its insight to energy efficiency and conservation can lead to significant savings on the company's utility bill.

WHY SHOULD YOU GET AN ENERGY AUDITS

Energy costs are soaring and your business can be at considerable risk if you do not take the guesswork out of your energy usage and the budget you need to cover it. Energy audits identify where your business is wasting energy. Residential and commercial properties account for around 10% of carbon emissions in the US, according to the EPA, which means they are very inefficient and waste huge amounts of energy and... revenue. An energy audit helps by revealing just how and where energy is being wasted. With thousands of commercial energy customers nationwide, we are well-qualified to advise you on which methods are best used for reducing energy waste and overall energy consumption. Let's start with a simple free evaluation of your bills and show you how we have been found to save between 5% and 35% for many of our customers.

In the case of energy, less is more. Lower energy consumption equals lower energy costs. And, of course, less energy consumption is obviously good for the environment.

As you can see, to be truly effective, energy management requires a strategy just like the other aspect of your operation and measures to curb costs can be simple and in some cases free. Gaining more control over your energy costs will improve the general health of your budget. Not only that but reducing your CARBON FOOTPRINT is great for the environment too!

ENVIRONMENT AUDIT OBJECTIVES.

Energy Audit was initiated in the beginning of 1970's, with the motive of inspecting the work executed within an organization, whose exercises could cause risk to the health of inhabitants and the environment. It exposes the genuineness of the proclamation made by the organisation with the concern on health issues. As a Consequence of their operations with respect to environmental pollution it is the duty of the organisation to carry out the Energy Audit of the ongoing processes for various reasons, such as,

- To make sure whether one is performing in accordance with the relevant rules and regulations,
- To improve the procedures and aptness of material in use,
- To analyse the potential duties and to determine a way which can lower the cost and to the revenue.

Through Energy Audit one gets adoration as to how to improve the condition of the environment. There are various factors that were forced upon and determine the growth of/or conduct of Energy Audit. Incidents like,

- Decades old Bhopal gas tragedy, that has left its residual effect which still haunts us.
- Our buildings catching fire due to various reasons,
- Industries blowing off taking valuable human lives etc
- · People going sick, feeling tired, after long hours of operations in the organization,
- Increased demand of generators due to inconsistent power supply, which has resulted or lead into recent floods and droughts,

are some of the situations to ponder about!

To address various issues in context with human health, Energy Audit is assigned to "Criteria 7" of NAAC (National assessment and accreditation council accreditation. NAAC is a self-governing organization in India that declares the institutions as Grade "A++", "A+", "A", Grade "B", according to the scores assigned at the time of accreditation.

The other intention of organising Energy Audit is to update the environment conditions in and around the institutions i.e., within the compound and outside the

compound. It is carried out with the aid of performing certain tasks like waste management, energy consumed, diesel burnt it performing the objective of the organization. Lastly to self-assess the net carbon footprint of the conduct of process in the organization.

THE GOALS OF GREEN AUDIT

- The purpose of carrying out Green Audit is securing the environment and cut down the threat posed to human health.
- To Make sure that rules and regulations are complied with.
- To avoid the environmental interruptions that are more difficult to handle and their corrections call for high cost.
- To suggest the best protocol for adding to sustainable development.
- To execute the process of the organisation utilising minimum natural resources and efficient use of those resources contributing to minimum waste generation.

How is the green audit conducted?

- Pre-audit
- Planning
- Selecting the team of auditors both internal and external
- Schedule the audit facility
- Acquire the background information
- Visit areas under audit

UNDERSTAND THE SCOPE OF AUDIT

- Analyse the strengths and weaknesses of the internal controls
- Analyse the strengths and weakingsses
 Conduct audit with end user comfort focused and making it easy to perform Conduct audit with end user comform.

 Collect necessary evidence so that the stakeholders stand to understand to u
 - how and where they are going wrong in the process of their conduct.
- Post audit draw the report based on the data collected. Post audit draw the report based on.
 On confirmation of the preliminary report, draw a final report of the observations and inference with accuracy more near to implementable
- way.
- Discuss various remedial measures for alternatives if required. Prepare an action plan to overcome the shortcomings with continual observation on the action plan initiated.

Steps under green audit

- Water is one of the cheapest commodities next to the Air we breathe Although we Indians, use less water in comparison to western countries, However, the extent of pollutants that we leave behind has polluted all the resources including the deep well.
- Rainwater harvesting is one of the best techniques that can be adopted by harvesting the rainwater and using it at the time of scarcity. the audit team to observe and investigate the relevant methods that can be adopted and implemented and draw the balance of use of water.
- The point of generation of waste, the type of waste generated, i.e., hazardous, recyclable and organically compostable wastes and segregating method at the point of generation for easy and best way to handle the same. Evaluating such methods to minimise the use of resources in the process of their management.
- It deals with use of energy in the conduct of the process. The priority is topmost for conservation over efficiency; hence, energy auditor should always consider not to use the energy if necessary. At best it can be used judiciously.

- It analyses air quality, noise level and the programs undertaken by the institution for plantation creating awareness of trees around us and how nature provides us with remedial measures within its framework.
- In the process of use of resources and conduct of the activities, they can
 develop impact on human health, that might be off minutely harmful, cause
 permanent disorder or may even cause death. Occupational health
 hazards are discussed in detail and the stakeholders are informed of the
 same and required necessary remedial measures indicated.
- To make in organisation net zero net zero carbon emission use of renewable resources including energy such as solar wind biogas geothermal energies are put into ooh utilisation.
- The net impact All the above energy audits should be to make an
 organisation contribute zero emissions which are called bye bhai use of
 water generation of waste use of energy e environmental damage health
 damage and finally to explore if the campus or direction can go in in
 contributing to third-party emissions minimising
- To draw home the benefits, the system has been separated out into various audits as listed above. In doing so, and if audit findings are effectively implemented there are many advantages that can be practised in the process
- Recognise the cost saving methods through waste minimising and managing technologies.
- · Point out the prevailing and forth coming complications.
- Authenticate conformity with the legal requirements.
- Empower the organisation to frame a better environmental performance.
- Portray a good image of the institution which helps build better relationships with the group's organisations, stakeholders in and around its operations
- Enhance the alertness for environmental guidelines duties and conduct of preparedness for any eventualities due to environmental disasters proposed)
- Indicative templet for display at all prominent areas, classrooms, waiting rooms, canteen, library, relaxing areas in the campus.

GEOGRAPHICAL CONSIDERATIONS:

GEOGRAPHICAL CONSIDERATIONS.


Before we present our report, the factors that are considered for positive impo recommendations are,

CLIMATIC CONDITIONS

Before we present our report, the factors that are considered for positive im_{D_Q} recommendations are,


CLIMATIC CONDITIONS

CLIMATE HUBBALLI (INDIA)




This city has a tropical climate. In winter, there is much less rainfall than in summer. This location is classified as Aw by Köppen and Geiger. The temperature here averages 24.4 °C | 75.9 °F. In a year the rainfall is 894 mm | 35.2 inch.

CLIMATE GRAPH // WEATHER BY MONTH HUBBALLI.



The least amount of rainfall occurs in January. The average in this month is 1 mm | 0.0 inch. Most precipitation falls in July, with an average of 190 mm | 7.5 inch.

AVERAGE TEMPERATURE HUBBALLI



The temperatures are highest on average in April, at around 28.0 °C | 82.5 °F. In August, the average temperature is 22.7 °C | 72.9 °F. It is the lowest average temperature of the whole year.

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 frees per year.

WEATHER BY MONTH // WEATHER AVERAGES HUBBALLI

			,,						ctember	October	November 23.4 °C	December
A	lanuary	February	March	April	May	June				23.1		
Avg Temperature °C	23°C (73.4)	25 ℃	17.2 °C	28°C	27.2 %	1000	22.7 °C	22.7°C (72.9)	and the set	(74.6) *F	(74.1) °F	(73) °P
(°F) Min	Ŧ	1004	(81) 4	(82.5)		op.	F	7		20 °C	18.3 °C	16.8°C
Temperature °C	16.5 °C (61.6)	18 °C (64.5) °F	20.3 °C	22 °C (71.7)	22.4 °C	21.7°C	21.1 ℃ (70) ♥	20.9 ℃ (69,6)	(69.1) °F	(68) °F	(64.9) °F	(62.3) ℉
("F) Max	Ŧ	(0.12) 1	4	华	sk (vers)	Ŧ		*F 25.9 ℃	27.1°C	28.3 °C	28.8 °C	29 °C
Temperature °C (°F)	29.6 °C [E.28]	12 ℃ (895) 字	84.5 °C	35.5 °G (95.9)	34°C (93.1)	27.7 °C (81.9)	(78.2)	(78.6)	(80.7) °F	(82.9) ep	(83.9) °F	(84.2)平
Precipitation /	7		· · ·	=F	Ŧ	Ŧ	平	153	127	116	34	6
Rainfall mm (in)	(0)	1 (0)	7 (0.3)	(1.1)	63 (2.5)	169 (6.7)	190 (7.5)	(6)	(5)	(4.6)	(1.3)	(0.2)
Humidity(%)	44%	40%	41%	53%	63%	83%	87%	86%	83%	74%	59%	48%
Rainy days (d)	1	0	1	5	8	18		20	14	11	3	1
avg Sun hours (hours)	9.8	10.2	10.4	10.3	9.3	5.6	5.0	5.0	5.7	7.5	8.7	9.2

The variation in the precipitation between the driest and wettest months is 189 mm | 7 inch. The average temperatures vary during the year by 5.3 °C | 9.6 °F.

The month with the highest relative humidity is July (86.70 %). The month with the lowest relative humidity is February (39.67 %).

The month with the highest number of rainy days is July (27.47 days). The month with the lowest number of rainy days is February (0.40 days).

LIMITATIONS:

Our recommendations are in the interest of conservation of Electrical Energy and Green Culture i.e. the reduction in CARBON FOOTPRINT. The compliance to the recommendations will be subjected to meeting the safety and Environmental rules and guidelines.

DISCUSSIONS ON EXECUTIVE SUMMARY:

- Water management.
- Organic waste management.
- Clear windows
- Rainwater Harveting Abuse and Use.
- Chemical waste disposal
- LPG (Fuel) cylinders storage and management.
- HACCP practices.
- Utility Management.
- Food wastage and waste minimisation.
- Construction waste management.
- Asset management.
- Indoor Air Quality
- Fire Safety

important to discuss the geographical layout for better understanding.

GEOGRAPHICAL LAYOUT.





Figure 7= Satellite view of the College campus (2017 image).

Water availability and the quality of water decides the environment in the campus.

Considering the geographical parameters and weather conditions water management methodology has evolved and the barren land is now fully covered with grass, shrubs and plants. The site images show the metamorphous change in the land use.

These images demonstrate the significance of the grass in enhancing the self-survival over the non-rainy days. The continued retention of the grass will see higher growth and thicker bushes and shrubs.



SUNSHUBH RENEWABLE ENERGY FOUNDATION, HUBLI, Ph: 9449033505, 2350505

Figure 8 - Regeneration of ecology

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year,

NOT BURNING OR UPROOTING THE GRASS - SUPPORTS THE FOREST GROWTH.

WATER MANAGEMENT.

The institute is located on the first floor. However the voluntary team may be formed to educate the other stake holders in managing the water appropriately.

The images shown are typical methods followed by many of the people for keeping green cover live.





Figure 9 - Watering the lawn





Water is money. Water is Energy and water is life. Judicious use of water is crucial considering the availability of water we suggest that the team of gardeners get educated on...

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 here are about 17,30,50,50 seets of paper meaning 70 here are about 17,30,50,00,000 sheets of paper meaning 70 hornes of paper will be saved every day. This is equivalent to saving 2748,54 tonnes of wood a day. This will lead to saving about 10 nness of paper will be saved every day. This is equivalent to saving 2748,54 tonnes of wood a day. This will lead to saving about

How we should water, How much should we water, How often should we water and when to stop watering are few check points.

Proper watering is crucial to having the best-looking lawn on the

block. Here are some key points:

Since we reside in tropical zone, it is important that we operate the sprinklers after sunset to avoid evaporation and allow the water to percolate deep into the top soil.

Lawn needs at least 1"-1 ½" of water per week, year-round, during the winter, too.



Figure 10 - Sprinkler, Consumer much less water and time.

- It's important to retain moisture content hence, Water deeply 2-3 times per week, rather than daily.
- Watering early in the morning also is favoured, when possible.
- We will need more water during the day hours.
- Should not water the lawns for so long that, water runs down.
- It is important to have automatic sprinklers and also to check them regularly to be sure that we get complete coverage. Going a step further, one can place the moisture sensor and automate the operation of sprinklers if one can afford the system.

PLACING OF WASTE COLLECTION BINS.



Figure 11 - absence of waste collection bins in the corridor

It was suggested in the previous report that the waste collection bins should be placed outside every room.

It is important to implement the measure for imparting sense of responsibility and good civic sense.



THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning ⁹⁸⁸ tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving ^{about} 33,00,678 trees per year.

Considering human tendency, not to walk the distance, the waste collection bins should be placed before every room for ease of handling and convenience. Once the people get to the habit the waste collection will automatically be self-driven.

Few options are provided. The management can select the method based on cost factor.

If the rural technology is opted, the colour code need to be maintained.

If sufficient bins are placed before every room with colour code i.e., Green bins for organic and compostable waste. Yellow/Red for non-compostable wastes. (The management may choose to have any colour options as required) the manpower required to clear the same will be reduced as well.

These locally sourced bins may be placed all along the campus.

We suggest that these bins be colour coded to segregate the waste at source.

This option may look to be off the date. It should be important in placing a small placard as to why hand sewed bins are being put to use.

 The biggest being the empowering the rural youth in being economically self-sufficient and promoting ethnic skills.

- Bins are organic and biodegradable. Hence do not contribute to the carbon emissions. Leading to a very innovative Carbon Handpring initiative.
- Readily visible and easy to empty when half full.





Figure 12 - Local soursed waste collection bin

BATTERY MANAGEMENT:

Placing the batteries is the beginning of prolonging the life. It is important to increase the life of batteries than regenerate.

The batteries regeneration if incorporated, can also be a revenue earning model for the college by educating the students and training them by undertaking third party batteries for re-generation.

This also takes the institute to reducing its Carbon Footprint and closely interacting with the Industries, other educational institutes and the society at large.

First is to enhance the life of these batteries by properly placing them.



Figure 13 - Placement of battery without ventilation

All batteries should be placed in well ventilated area. As battery disposal is turning out to be a serious issue, ways to prolong the life of the batteries is very important from the environmental point and also from the Financial implications. We will elaborate on why and how batteries underperform and/or fail much before the expected life tenure.

What is Galvanic Corrosion?

Galvanic corrosion is caused by self-induced current created by electrical potential of two dissimilar metals in contact with electrolyte. It can occur when two dissimilar metals (such as copper tube and steel pipe) are connected in the presence of an electrolyte. Water is a weak electrolyte. ie When Two Dissimilar Metals Come Into Contact - Electrolysis Occurs , Causing Corrosion - Rusting Of Both Surfaces.

The similar case present in the college battery bank. It is obvious that the battery discharges by itself at all times when charged.



Figure 14 - Galvanic reaction : causes self discharging and degradation

How do we prevent Galvanic Corrosion - Electrolysis from occurring?


The quickest way to prevent Galvanic Corrosion or Electrolysis from occurring is to place two batteries away from each other without physical contact.

It is also required to prevent batteries resting or coming in contact with metal stand supports.

Placing the batteries on an insulated mat will be an added advantage.

We will discuss the regenerative system of used and week batteries to enhance the life. It is important to know few points on handling of batteries. BU-703: Health Concerns with Batteries

Become familiar with the do's and don'ts when handling batteries.



Effects of Galvanic Corrosion

Batteries are safe, but caution is necessary when touching damaged cells and when handling lead acid systems that have access to lead and sulfuric acid. Several countries label lead acid as hazardous material, and rightly so. Lead can be a health hazard if not properly handled.

Lead

Lead is a toxic metal that can enter the body by inhalation of lead dust or ingestion when touching the mouth with lead-contaminated hands. If leaked onto the ground, acid and lead particles contaminate the soil and become airborne when dry. Children and foetuses are most vulnerable to lead exposure because their bodies are developing. Excessive levels of lead can affect a child's growth, cause brain damage, harm kidneys, impair hearing and induce behavioural problems. In adults, lead can cause memory loss and lower the ability to concentrate, as well as harm the reproductive system. Lead is also

known to cause high blood pressure, nerve disorders, and muscle and some states and see the second section be a second se joint pain. Researchers speculate that Ludwig van Beethoven be $c_{\Omega_{\Pi_0}}$ ill and died because of lead poisoning.

By 2017, members of the International Lead Association (ILA) want keep the lead blood level of workers in mining, smelting, refining and recycling below 30 micrograms per decilitre (30µg/dl). In 2014, the average participating employee checked in at 15.6µg/dl, but 48 percent were above 30µg/dl. (Source Batteries & Energy Storage

In 2019, the University of Southern California published the detection of lead in teeth of children living near the Exide Technologies battery recycling plant in Vernon, California

Lead occurs naturally in soil at 15–40mg/kg level. This level can increase multi-fold near lead battery manufacturing and recycling plants. Soil levels in developing countries, including on the continent of Africa, recorded lead contamination levels of 40–140,000mg/kg. (See BU-705)

How to Recycle Batteries.)

Technology, Summer 2015.)

Sulfuric Acid

The sulfuric acid in a lead acid battery is highly corrosive and is more harmful than acids used in most other battery systems. Contact with eye can cause permanent blindness; swallowing damages internal organs that can lead to death. First aid treatment calls for flushing the skin for 10–15 minutes with large amounts of water to cool the affected tissue and to prevent secondary damage. Immediately remove contaminated clothing and thoroughly wash the underlying skin. Always

THOUGHT FOR EVERY MOMENT

wear protective equipment when handling sulfuric acid.

Cadmium

Cadmium used in nickel-cadmium batteries is considered more harmful than lead if ingested. Workers at NiCd manufacturing plants in Japan have been experiencing health problems from prolonged exposure to the metal, and governments have banned disposal of nickel-cadmium batteries in landfills. The soft, whitish metal that occurs naturally in the soil can damage kidneys. Cadmium can be absorbed through the skin by touching a spilled battery. Since most NiCd batteries are sealed, there are no health risks in handling intact cells; caution is required when working with an open battery.

Nickel-metal-hydride is considered non-toxic and the only concern is the electrolyte. Although toxic to plants, nickel is not harmful to humans.

Lithium-ion is also benign — the battery contains little toxic material. Nevertheless, caution is required when working with a damaged battery. When handling a spilled battery, do not touch your mouth, nose or eyes. Wash your hands thoroughly.

Keep small batteries out of children's reach. Children younger than four are the most likely to swallow batteries, and the most common types that are ingested are button cells. Each year in the United States alone, more than 2,800 children are treated in emergency rooms for swallowing button batteries. According to a 2015 report, serious injuries and deaths from swallowing batteries have increased nine-fold in the last

The battery often gets stuck in the oesophagus (the tube that passes food). Water or saliva creates an electrical current that can trigger a

chemical reaction producing hydroxide, a caustic ion that cause serious burns to the surrounding tissue. Doctors often misdiagnose the symptoms, which can reveal themselves as fever, vomiting, poor appetite and weariness. Batteries that make it through the oesophagus often move through the digestive tract with little or no lasting damage The advice to a parent is to choose safe toys and to keep small batteries away from young children.

Safety Tips

- Keep button batteries out of sight and reach of children. Remote controls, singing greeting cards, watches, hearing aids, thermometers, toys and electric keys may contain these batteries.
- Similar to pharmaceutical products, keep loose batteries locked away to prevent access by small children.
- Communicate the danger of swallowing button batteries with your children, as well as caregivers, friends, family members and babysitters.
- If you suspect your child has ingested a battery, go to the hospital immediately. Wait for a medical assessment before allowing the child to eat and drink.

Ventilation

Charging batteries in living quarters should be safe, and this also applies to lead acid. Ventilate the area regularly as you would ${\tt o}$ kitchen when cooking. Lead acid produces some hydrogen gas but the amount is minimal when charged correctly. Hydrogen gas becomes explosive at a concentration of 4 percent. This would only be achieved if large lead acid batteries were charged in a sealed room.

Over-charging a lead acid battery can produce hydrogen sulphide. The gas is colourless, very poisonous, flammable and has the odour of rotten eggs. Hydrogen sulphide also occurs naturally during the breakdown of organic matter in swamps and sewers; it is present in volcanic gases, natural gas and some well waters. Being heavier than air, the gas accumulates at the bottom of poorly ventilated spaces. Although noticeable at first, the sense of smell deadens the sensation with time and potential victims may be unaware of its presence.

As a simple guideline, hydrogen sulphide becomes harmful to human life if the odour is noticeable. Turn off the charger, vent the facility and stay outside until the odour disappears. Other gases that can develop during charging and the operations of lead acid batteries are arsine (arsenic hydride, AsH₃) and (antimony hydride, SbH₃). Although the levels of these metal hydrides stay well below the occupational exposure limits, they are a reminder to provide adequate ventilation.

Regeneration of week batteries for the Second/Third lease of life.

Significance...

- The early regeneration results into second tenure of the batteries i.e., another term of 3 to 5 years as per Battery specifications.
- Optimised energy consumption. Thus, reduced cost of operation.
- Delayed disposal results into elimination of environment pollution.
- Reduced impact on CARBON FOOTPRINT.

HACCP PRACTICES - GENDER EQUALITY:



Sanitary Pad dispenser:

we appreciate the placement of the sanitary pad dispenser and also being members. by the $O^{\mathsf{n}_{\mathsf{g}}}$ improvement is however needed. The custodian of the pads contact details may be displayed. This should help to draw the attention of the stock holder to replenish the dispenser when empty.

Sanitary pad Incinerator:

The pad incinerator is not in operation. The women empowerment

committee should be asked to check for all the women comfort necessities. It may be stressed more as a necessity and not as a luxury.

It would be important to display the usage instructions Kannada, Hindi and English so that the members can operate the incinerator by themselves.



FIRE PREVENTION & SAFETY :

The fire extinguishers should be placed at the entrance of the room housing dangerous devices and chemistry lab. So that, they are handy when need to be used.



Figure 17 - No ready access to fire extinguisher.

The detailed information chart on fire extinguishers is to be prominently displayed and all staff should be educated and trained.




Figure 18 - Fire extinguisher Operating instructions

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year,

It is also important that the handling instructions are Predominantly displayed. The sample poster is reproduced for replication.

					Electrical	CLASS F	
	CLASS A	CLASS B	CLASS C	CLASS D			
Туре	Combustible materials (e.g. paper &	Flammable liquids (e.g. paint & petrol)	Flammable gases (e.g. butane and methane)	Flammable metals (c.g. lithium 8 potassium)	equipment (e.g. computers & generators)	Deep fat fryers (e.g. chip pans)	Comments
Water	(hoow	X	X	X	×	X	Do not use o liquid or elect fires
Feam	J	/	X	X	X	X	Not suited to domestic us
Dry Powder	1	1	1	1	V	X	Can be use safely up to 10 volts
	X	1	X	X	✓	X	Safe on both h and low voltage
Wet Chemical	/	X	X	X	X	V	Use on extreme high temperatures

Figure 19 - Fire extinguisher: Class



Figure 20 - Types of Fire extinguishers

In case of fire, the appropriate Fire extinguishers should be placed at the entrance but outside the room. The details of such classified Extinguishers is indicated for reference.

PLACEMENT GAS FUEL CYLINDERS:

Figure 21 - Placement of LPG cylinders in wrong location.






Figure 22 - LPG Cyclinders use and placement





The LPG and other high pressure cylinders should be placed outside the room in well ventilated area as shown above.

If there is any space constraint, it is necessary that the lowest part of the space should be open and free ventilation provided.

The slope should be leading towards the outer wall and proper bund be made to prevent any leakage flowing into the hall/room/laboratory.

RAINWATER MANAGEMENT.

Laying of rainwater opening pavers.

Laying of rainwater opening pavers. The rainwater is forced to flow over the pavers and as a result flood the $\log_{|V_{ing}|}$ areas.

It may be recalled that, in the previous report, it was suggested to divert the water It may be recalled that, in the production and creating water percolation holes on to the sides by creating small humps and creating water percolation holes between pavers.

between pavers.

Creating these provisions will help the surrounding plants to get more water. Creating these provisions will lead to increased rate of survival and need for less watering during the non-rainy days.



MEDICINAL PLANTATION.

The College has a small and beautiful garden focussed on medicinal and aromatic plants.

THE SMALL FISH POND ADDS BIONETWORK WHILE HELPING MAINTAIN HUMIDITY. A VERY NOVEL IDEA.

Figure 24 - Medicinal plantation

In order to share the significance of the project, It would be adding value, when the information is shared in local language where the visitor understands.





Figure 25 - Medicinal plantation







An attempt by one of the college is shown. The same can be reproduced as suitable to the college establishment.

Additionally, similar placard may be posted at the entrance and extending the invitation to the citizens to visit the medicinal garden.

This initiative will take the information to the citizens and can help build dialog.

VERMICOMPOST.



Figure 26 - Vermicompost

The organic waste composting structure has been created, needs the attention of all the stake holders in making it successful. Collective effort will take the initiative to a great and meaningful implementation. The infrastructure is already in place. The compost so formed should be exhibited for the information of the farming community through the children coming to college for education.

The chemical analysis of the organic manure so produced can be carried out by the science stream students and the same can be carried out of the campus.

The experience and pride of discussing the initiatives may be recorded and the same may be projected during the functions and honoured. These initiatives will be a motivators for other students to explore similar opportunities.

Just to quote, The commerce students may take-up a project where the local product say agricultural produce is marketed after value addition in any possible way.

These measures give financial stability to the weaker sections of the society and thus the moral responsibility of the establishment.

A typical working model where one can replicate the rural economy is by managing kitchen waste. This may be used to showcase the ways of developing the vermicompost.

The benefits of vermicompost if exhibited, the children can disseminate the same to their parents back home.



Figure 27 - composted kithchen waste

ROOFTOP : PASSIVE COOLING.



Figure 28 - Algae Parched terrace

The parched rooftop, needs to be white washed so as to avoid roof heating, Thisshould help in keeping the room down below cooler.

The additional benefit of prevention of algae growth also brings about positive change.

SOUND POLLUTION:

During the walkthrough, disturbing noise was heard due to high traffic, more so when the Signal changeover occurs.

The sound was measured from the parapet of the college. The noice level measured minimum of 57dB and touched 74dB




Figure 29 - measured sound near the class room

This is a disturnbing sign as conducting of Class gets disturbed. Thus the college should discus the issue with the traffic police and strictly get the NO HONKING ZONE implemented.

Additionally, the college can involve the students to get into social activity and collect the tall grass (scirpus) that has made its presence along the unkal lake nala. For better understanding the image shown may be shared to all the students who go out to fetch the grass and weave it for building a sound proof curtain.



Figure 30 - Wild grass curtain as sound barrier

GREY WATER MANAGEMENT.:



Figure 31 - Grey water pond

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year.

In today's context, use of soaps and cosmetics has increased multifold. The water that is let out along with the soap and cosmetic chemicals is termed as Grey water. This water is containing valuable chemicals which form micro nutrients to the fertilizers. If this water if left open untreated, would cause foul smell and would be a breeding zone for mosquito and other harmful insects.

It is important to arrest the negative impact and extract the useful nutrients for good use. The botany department can initiate and do some research to come up with first hand experience on benefits of grey water use.

Planting Canna Indica locally known as kaabaali and water hyacinth which is predominantly seen in polluted water ponds are known as water purifying plants. while kaabaali grows in greywater accumulated areas. Water hyacinth grows well in polluted water ponds.

The images of the two plants are reproduced below.





Canna Indica (Kaabaali)

Water Hyacinth.

More information can be drawn from the two links below.

https://www.sciencedirect.com/science/article/pii/S0048969719347229

https://www.researchgate.net/publication/323278568 Waste Water Treatment using Water Hyacinth

SUNSHUBH TECHNOVATIONS PUTLIN Page No. 64 of 49

LIMITATIONS:

Our recommendations are in the interest of conservation of Electrical Energy and Green Culture i.e. the reduction in CARBON FOOTPRINT The compliance to the recommendations will be subjected to meeting the safety and Environmental rules and guidelines.

LIST OF INSTRUMENTS:

During the process of the Audit, the following lists of instruments were used.

Sr No.	INSTRUMENT	MAKE	APPLICATION	
1	Digital Power Analyser (PC Interfaced)	SCHIVAN ARNOX	Electrical Machinery.	
2	Accessories -3000 Amps	ARNOX	Higher load UPTO 3000 Amps,	
3	Accessories -200 Amps	ARNOX	UPTO 200 Amps,	
4	Thermal Imager	FLIR	Identify loose contacts and bearing losses	
5	Power Analyser (Manual)	MECO	Electrical Machinery.	
6	Infrared Thermometer	METRAVI	Thermal (Fuel) Ener .	
7	Digital (Contact) Temperature & Humidity Meter.	METRAVI	Electrical Machinery. (A/C's And Cooling Towers)	
8	Digital Tachometer	METRAVI	Electrical Machinery.(A/C's And Cooling Towers)	
9	Lux Meter	METRAVI	General & Task Lighting.	
10	Sound Level Meter	METRAVI	Electrical Machinery. Generator Sound Proofing	
11	Digital Anemometer	METRAVI	Electrical Machinery.(A/C's And Cooling Towers)	
12	Digital KW Meter	METRAVI	Electrical Machinery.	
13	Digital Power Factor Meter	METRAVI	Electrical Machinery.	
14	Lap Top Computer	HP	To Interface The Instruments For More Accurate Sophisticated Readings In Sensitive Equipment.	
15	Ultrasonic flow meter		Measure liquid flow.	
16	Portable Vibration Meter.	METRAVI	Effect Of Filtration - Sewing System. Structural Stability	
17	Live cable detector probe	-	Detect hidden cables for safety audit.	
18	Power Analyser – EMM 5	Beluk	For remote communication and detailed audit.	
19		Beluk	Power Analyser.	
20	ETV meter, KWh & PF meters for site recording.	Secure		
21	PT's for Transformer audits.	KALPA	On field auditing of transformer loading and imbalance evaluation.	

Only appropriate instruments will used wherever necessary.

ACTION PLAN SUMMARY:

Earmark the action plan.

- Invite subject experts for Tec talks,
- Organize in person panel discussions and interaction to propagate the knowledge and mitigate the problems in practicing the same.
- Prioritize the initiatives and execute.
- Observe the benefits and shortcomings.
- Workout further improvement by involving the staff and students,

MODE OF ACTION:

The process of environment protection should be carried out in three steps.

- Good housekeeping practices.
- Minor alterations using in house work culture and minimum investments on accessories as discussed.
- Capital investments, which may be required for installation of new methodologies may be taken up on phased manner.

We will be happy to assist you for any further advice/consultancy if required either on Rainwater management or on any of the measures discussed in the report.

We hope the measures are implemented in good spirit and to human convenience and comfort.

For SUNSHUBH TECHNOVATIONS PVT LTD...

Mallikarjun A. Kambalyal. B.E. (E&C)

Certified Energy Auditors EA-3485

NOTES:

THOUGHT FOR EVERY MOMENT

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year.

SO LET US ALL USE BOTH SIDES OF THE SHEET even better adopt E-CORRESPONDENCE.

Notes: