
GREEN AUDIT REPORT 2020-21

In compliance with the statutory requirements under the NAAC accreditation procedures



Principal Lead Auditor: Mallikarjun A Kambalyal. CEA, ISO 50001, 14001 Lead Auditor.

SUNBSHUBH TECHNOVATIONS PVT LTD.,

120-2, LGF, 'A' wing, IT Park, Hubli – 580029, Karnataka. India.

German off: Neuer Weg 166, 47803 Krefeld, Dusseldorf. Germany Anbieter-Nr 1041388 Website: www.sunshubhrenewables.ocm
Email: ceo@sunshubhrenewables.com



SUNSHUBH TECHNOVATIONS PVT LTD. Page No. 20196

ABOUT SUNSHUBH TECHNOVATIONS PRIVATE LIMITED

Sunshubh Technovations Private Limited is registered in the year 2020 and has evolved from initial proprietary concern, Sunshubh Renewables & Research Centre. Sunshubh has been in operation since 2008. Sunshubh today is led by a team of well experienced Certified Energy Auditors and tech-savvy young engineers.

We believe in Identifying opportunities and executing solutions based on need with highest priority to Energy conservation over efficiency.

Since beginning, Sunshubh has been growing and today, we have wide range of clientele In the field of Industry: Tool room, Chemicals and refinery, Mining, Health, Hospitality, Food processing, Infrastructure and Educational institutions under NAAC compliance. Our approach has been very aggressive in equipping ourselves with the latest instruments.

After decade of professional experience, we restructured ourselves and thus the formation of a Private Limited company on 22nd July 2020.

Today we have with us the technical team comprising three Certified Energy Auditors, One Certified Energy Manager and support team of young and enthusiastic engineers to comply to the client requirements.

POLICY MATTERS

Learning from our training in Germany and their policies, SUNSHUBH does not supply any energy saving equipment's or systems. However, we do stand up to support and execute the measures to prove our findings right. This is mandatory to assure the client that we do not market any self-centred product or orient the Audit assignment to sell any third party product. Meaning to say we stand neutral to all methodologies in the interest of adopting best technologies.

We strongly believe in sharing our knowledge and training inhouse manpower for continual improvement in energy flow.

We have set a policy not to hire the instruments from third party but to procure every small or big ones to do justice to our clients.

SUNSHUBH TECHNOVATIONS PVI LID

996	10
Images as captured on site	10. 4 of 9,
CARBON FOOTPRINT - GREEN PLEDE (proposed)	
EXECUTIVE SUMMARY	
CRITERION VII - INSTITUTIONAL VALUES AND BEST PRACTICES	8
PART 1 - GENERAL	10
ACKNOWLEDGEMENT:	19
GREEN AUDIT COMPLETION CERTIFICATE	20
ONGOING STATUS:	
WHY IS THIS AUDIT BEING CARRIED OUT?	28
WHAT IS AN ENERGY AUDIT?	
WHY SHOULD YOU GET AN ENERGY AUDIT?	
GREEN AUDIT OBJECTIVES	
understand the scope of audit	-
GEOGRAPHICAL CONSIDERATIONS:	
CLIMATIC CONDITIONS	
LIMITATIONS:	
PART 2 TECHNICAL	
DISCUSSIONS ON EXECUTIVE SUMMARY.	
Skill development	
DIFFERENTLY ABLED CHILDREN	
DISABILITIES FOR DIFFERENTLY ABLED	
PROVIDING ACCESS TO DIFFERENTLY-ABLED PERSONS	42
AUDIT OF SPECIFIC AREAS OF BUILDINGS	49
THE DISABILITY ACCESS AUDIT CHECKLIST	51
CHECK LIST FOR COMPLIANCE	51

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 5 of 96

GENDER EQUALITY UNDER SEC 7.1.1	62
Commuting	64
REDUCE CARBON FOOTPRINT BY CYCLING	
USE OF NATURAL RESOURCES:	
SAFETY AND ACCIDENT PREVENTION METHODOLOGIES.	
references	
DISPOSAL OF USED BATTERIES	
BATTERY PLACEMENT:	73
BATTERY MANAGEMENT:	74
Lead	75
Cadmium	76
Safety Tips	77
Regeneration of week batteries for the new lease of life	78
WORK CULTURE:	79
PAPERLESS OFFICE:	85
WASTE MANAGEMENT:	91
OUTREACH	92
ACTION PLAN SUMMARY:	93
LIST OF INSTRUMENTS:	94
NOTES:	04

SUNSHUBH TECHNOVATIONS PVT LTD.

Page No. 6 of 96

IMAGES AS CAPTURED ON SITE.

Figure 1 - Home energy byranna	10
Figure 2 - Water Energy Security	17
Figure 3 - Water Energy two faces of the Coin	18
Figure 4 - Bureau of energy Efficiency Regd No: EA3485	23
Figure 5 - ISO Certified Lead Auditor. Certificate No: 47730	24
Figure 6 - ISO Certified Lead Auditor. Certificate No: ENR-00253448	25
Figure 7 - Manager training programme, Germany	26
Figure 8 - Fit for partnership with Germany	27
Figure 9 - Aerial view of campus	37
Figure 10 - Ramp for use by physically challenged	42
Figure 11 - CCTV surveillance	62
Figure 13 - Pad dispenser	
Figure 14 - Pad incinerator	
Figure 15 - GREEN PLEDGE TEMPLET.	
Figure 16 - Reserved for green commute	
Figure 17 - PPE kit for hazardous tasks	69
Figure 18 - Electrical safety mats	
Figure 19 - Placement of Fire extinguesher	71
Figure 20 - Fire extinguisher usage templete	
Figure 21 - types of extinguishers and Applications.	72
Figure 22 - Know your fire extinguisher	
Figure 23 - Battery placement	73

Figure 24 - Footwear placement82

Figure 25 - Place for personal baggage82

Page No. 7 of 96

CARBON FOOTPRINT - GREEN PLEDE (PROPOSED)

We the Principal, the staff and students, adopt responsible practices in our daily activities with due regard to the environment. We set and continually review objectives and targets for achieving our goal to protect our entire college premises in front, backyard and all other non-approachable areas of all primary and secondary pollutions.

We seek to compile with safety and environmental regulations to implement inhouse standards to improve our environmental performance. We commit ourselves to the safe operation of all our working habits, be it in classrooms, library, canteen, on road, off road, in-campus out-campus as well as at our place of stay. We adhere to reduce environmental load by efficiently using resources, saving energy, reducing waste, encouraging material recycle, with special emphasize to minimising emissions of greenhouse gases, ozone depleting substance and particle matter.

We endure to minimise environmental loads and adopt environmentally friendly technologies when ordering and purchasing necessary products and resources. We endure to attend educational programs and promulgate our close friends and colleagues to follow suite We endure to ensure that we recognize the essence of this Green policy by actively and aggressively conducting workshops and training to all in environmental concepts. We make wide ranging social contribution to close association with the students, teaching staff, administrative staff, housekeeping staff by disclosing environmental information and supporting environmental consumption.

-Sd-

Principal

(Indicative templet for display at all prominent areas, waiting rooms, canteen, library, relaxing areas in the campus.)

There are about 19,00,00,000 students in INDIA. If every student saves one sheet per day, 19,00,00,000 sheets of paper meaning 988 tonnes of Paper will be saved every day. This is equivalent to saving 2748.54 tonnes of wood a day. This will lead to saving about 33,00,678 trees per year,

EXECUTIVE SUMMARY

For details please follow the discussions in the report.

Sr No	Ob servation*	Problems	Resulting benefits*	Remedial measures*	Capital *	Projected savings*
1	Skill Develop ment	Artistic shearing of plants.				
2	Differently abled children.	commuta children.				
3	Girl children		To provide safe and dignified study time by providing health safety provisions in the campus.			
4	Green Commute	To promote green commute within the campus and also outside the campus.				
5	Green energy concept	College has kickstarted an initiative of lab testing the Solar thermal energy (Fresnel concentrating solar)				
6	Battery manage ment	Battery disposal procrastination by following restoration method				
7		Self- imposed discipline brings out the best results. Avoids accidents , saves time.	Dirty used packages in and around the college	Incorporate need for cleanliness and place waste collection bins.	Rs.4500 /- per set	Reduced cleaning hours and good hygienic conditions.

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 9 of 96

8	Paperless office.	On considering the present scenario, it is advised to communicate with No-Contact and safe distance method. This is possible under Paperless office method.
9	Solid Waste Manage ment	Spilling of waste
10	Outreach	Share the knowledge by example, by demonstration, by habitual practice.

CRITERION VII - INSTITUTIONAL VALUES AND BEST PRACTICES

Key Indicator - 7.1 Institutional Values and Social Responsibilities

Metric No.	Description	Com- pliance	Initiatives required
7.1.1	Measures initiated by the Institution for the promotion of	Partly Complied	Our The concept of home energy management in
QIM	gender equity during the last five years.		relation to the environmental impact may be initiated for the
	Annual gender sensitization action plan		women. Detailed discussion on CARBON HANDPRINT should be
	Specific facilities provided for women in terms of:		discussed at length. The typical illustration is reproduced.
	Safety and security – Energy		




Figure 1 - Home energy pyramid

			Page No. 11 of 96
7.1.2 Q _n M	Environmental Consciousness and Sustainability The Institution has facilities for alternate sources of energy and energy conservation measures Solar energy Biogas plant Wheeling to the Grid Sensor-based energy conservation Use of LED bulbs/ power efficient equipment	Complied through parent society.	Discuss on why the recent calamities keep occurring more often than before. Irrespective of the financial impact, the institute should consider the renewable energy projects as they impart the sense of green energy alternatives. Such as Solar Power, Wind energy, Biogas plant in Hostel mess. If renewable energy projects are installed the excess power can be exported to grid on non-working hours. Sensor based control is a must for energy use optimization. Complete the ongoing work at faster pace.
7.1.3	Describe the facilities in the	Complied	Energy consumption details
Q _I M	Institution for the management of the following types of degradable and non-degradable waste (within 500 words) Solid waste management	partially wrt minimising	need to be monitored and the benefits of avoided accumulated energy use and power demand should be established.

THOUGHT FOR EVERY MOMENT

SUNSHUBH TECHNOVATIONS PVT LTD.

Page No. 12

			rage No. 12 of n
	Liquid waste management		000
	Biomedical waste manage-		
	ment		
	E-waste management		
	Waste recycling system		
	Hazardous chemicals and		
	radioactive waste manage-		-
	ment		
	6 90		
7.1.4	Water conservation facilities	Complied	The institution should consider
	available in the Institution:	*	in measuring the energy and
Q _n M		Open	power demand at various
	Rain water harvesting	ground	ground water table to
	Borewell /Open well recharge	percolati	demonstrate the impact of
	Construction of tanks and	on,	increased water table by
	bunds	Open well	rainwater harvesting methods.
	Waste water recycling	restoratio	Kindly refer to the article listed
	Maintenance of water bodies	n.	at the end of the table.
	and distribution system in the	Percolatio	
	campus	n pond	
		near to	
		open well	
7.1.5	Green campus initiatives	Partially	With disciplined vehicle
	include (4)	complied.	parking the reduction in fuel
Q _n M	7.1.5.1. The institutional		consumption can be
	initiatives for greening the		demonstrated in the college
	campus are as follows:		campus. The students can be
	Restricted entry of		given a task of conducting
	automobiles		such practical's on field and a
	Use of Bicycles/ Battery		competition in house should
	powered vehicles		educate the society.

			rage No. 13 01 70
7.1.6 QnM	Pedestrian Friendly pathways Ban on use of Plastic Iandscaping with trees and plants. Quality audits on environment and energy are regularly undertaken by the institution (5) 7.1.6.1. The institutional environment and energy initiatives are confirmed through the following 1.Green audit 2. Energy audit 3.Environment audit 4.Clean and green campus recognitions/awards 5. Beyond the campus	Complied	The audit findings should be predominantly projected by action from all stake holders of the institution.
7.1.7	The Institution has disabled-	The	
0.11	friendly, barrier free	initiatives	The demand for muscle power
Q _n M	environment Built environment with	have	to climb the ramp may be
	Built environment with ramps/lifts for easy access to	been considere	considered as one such case
	classrooms.	d.	and ideally establish the
	Disabled-friendly washrooms	.	gradient of the ramp.

students. This activity brings in

the sense of responsibility,

accountability and importantly

Page No. 14 of %

1	0.33		
	path, lights, display boards		
	and signposts		
	Assistive technology and		
	facilities for persons with		
	disabilities (Divyangjan)		
	accessible website, screen-		
	reading software,		
	mechanized equipment		
	Provision for enquiry and		
	information : Human		
	assistance, reader, scribe, soft		
	copies of reading material,		
	screen reading		
7.1.9	Sensitization of students and	Need to	The sensitization of switching off
	employees of the Institution to	explore.	the non-required electrical
QıM	the constitutional obligations:		appliances and devices should
	values, rights, duties and		be encouraged. Like
	responsibilities of citizens		organizing the inhouse
	Describe the various activities		competition.
	in the Institution for inculcating		Every student to table their
	values for being responsible		energy bills in the previous year.
	citizens as reflected in the		The savings in the forth coming
	Constitution of India within 500		year should be recorded and
	words.		an energy ambassador award
			be shouldered on the top

tactile

Signage including

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 15 of 96

	T .		Pagerio, 15 of 96
			knowing there energy use and
			abuse.
7.1.10	The Institution has a	Complied	A common of modifications have
Q _n M	prescribed code of conduct	Complied	A range of activities can be
Gnivi	for students, teachers,	40	brought in just as discussed in
	administrators and other staff		7.1.9 above.
	programmes in this regard.		
	programmes in mis regard.		
	The Code of Conduct is		
	displayed on the website		
	There is a committee to		
	monitor adherence to the		
	Code of Conduct		
	Institution organizes		
	professional ethics		
	programmes for students,		
	teachers, administrators and		
	other staff		
	Annual awareness		
	programmes on Code of		
	Conduct are organized		
7.1.11	Institution celebrates /	Complied	In todays practices, the
QıM	organizes national and		celebration has been formal.
	international commemorative		The actual celebration has to
	days, events and festivals		be year long. The theme for the
			year has to be laid and the
	Describe the efforts of the		activities should be conducted
	Institution in celebrating		and on the day of celebration

SUNSHUBH TECHNOVATIONS PVT LTD.

Page No. 16 of 9.

		1 age 140. 16 of 96
	/organizing national and international commemorative days, events and festivals during the last five years within 500 words	the selective activities be carried out. Just to illustrate, Consider the Republic day. We celebrate the flag hoisting and with cultural activities. Consider the week long program where in, students can discuss what is the Republic day. How the final draft got to be written and who all are the members of the draft committee. https://en.wikipedia.org/wiki/Constitution_of_India
7.2.1 Q _I M	Describe two best practices successfully implemented by the Institution as per NAAC format provided in the Manual.	When the listed activities from 7.1.1 to 7.1.11 are complied the institute can have many creative best practices and the achievements can really bring in the name, fame and the recognition and appreciation not just on records but or monetary contributions as well



POSTORIAL BOARD

Patron-in-Chief Shri Vilac Muttern Hon'ble Minister of State (MNES) Patron, Shri A.M. Golkhale, Secretary, MNES Editor-in-Chief Shri Debashish Majumdar Managing Director, IREDA Executive Editor Dr P Venkata Ramana, Winrock international USA

Editorial Coordinator: Mr Anvind Reddy, Winrock International India

MEMBERS

Mo Anita Ahuja, Concerve Shri A.K. Asthana. National Productivity Council Ma Leena Mehendale, PCRA Shri B.V. Rap. IREDA Shri Brahmanand Mohanty, Energy Efficiency Specialist

Shri Bhackar Natarajan, India-Canada Environment

Shri S. Padmanaban, USAID/India Shri V. Raghuraman. Confederation of Indian Industry Shri S. Ramaowamy, GTZ - India

WINROCK EDITORIAL TEAM

Content Copyedit Layout & Design Mathews Thayil Bhawani Shankar Jaioon Jose

The views expressed in the articles are those of the authors and do not necessarily reflect those of IREDA or Wil

इन लेखों में प्रकट विचार मूलतः लेखकों के हैं तबा यह अधरयक नहीं है कि झेडा या विनरीक भी इन विचारों से सहमत हो ।

This publication is supported by

Indian Renewable Energy Development Agency IREDA is a financial institution set up by MNES to provide concessional nancial support to energy efficiency! conservation and renewable energy sectors. For more information, see IREDA web site www.iredaltd.com

Core-4A, East Court, 1" Floor India Habitat Centre, Lodhi Road, New Delhi-110003 Tel: 91-11-2468 2214-21 Fax: 91-11-2468 2204 E-mail: efficiency@rediffmail.com Webate www.redaltd.com

FROM THE EDITOR IN CHIEF

The simple economics of water and energy security



t is estimated that the global annual use of commercial energy is about 400 Quads (quadrillion BTUs). The sun pours an additional 6 million Quads of radiant energy into the Earth's atmosphere each year. Thus in absolute terms, energy available is several orders of magnitude higher than demand. Yet, the world continues to struggle against an acute energy crisis. This leads one to believe that the problem is not merely of energy availability but rather a problem of affordability. Energy is a matter of pure economics, of demand and supply - at a cost.

A similar principle applies to water. Though roughly 80 percent of the Earth's surface is water, cheap potable and clean water is simply beyond the reach of millions across the world. Potable water sourcing, treatment, and distribution require considerable amounts of energy. Access to water is therefore closely linked to energy availability and affordability.

This close interdependence between energy and water needs to be clearly recognized and the nexus addressed suitably at the policy level. The first and foremost priority of any energy policy should be the wise, efficient use of whatever energy supplies are available. Similarly, priority should be given to the efficient use of whatever water supplies exist. Once the issue of efficient use has been tackled, focus can then be shifted on creating new energy and water supplies that meet sustainability and environmental requirements. And this may not be as difficult to achieve as it appears.

As in the case of energy use, the difficult part is reducing the quantum of water use while maintaining the level of benefits both for the customer and the utility. If this can be addressed, water utilities can save money as the reduced demand effectively creates more system capacity. With decreasing demand, the water utility effectively avoids additional investments in new facilities and equipment. Reduced volume of water flowing through the system has the attendant advantage of reduced frictional energy losses, thereby reducing the cost of pumping. This leads to a win-win situation for both the consumer and the utility, with the consumer benefiting through the reduced cost of delivery, diminished chances of water shortfalls, and the utility benefiting from decreased likelihood of major investment expenditures.

Needless to say that all this also saves energy. In rural areas, a large number of irrigation pump sets are either operated at highly subsidized electricity tariff from the power utilities or at no cost at all, encouraging the use of poorly designed inefficient pump sets which are over-rated and over-used. Replacing these pump sets with energy-efficient ones is one option, but who bears the cost? Another option is rainwater harvesting. For every one foot increase of the water table one achieves an approximate savings of 1 percent power

Which means one gets more for the same energy use. That's simple economics 166 mile

> Debashish Majumdar Managing Director, IREDA

The Bulletin on Energy Efficiency August 2005 Vol.

Figure 2 - Water Energy Security

Water-Energy: two faces of a coin

There is a direct relationship between water and power. A reduced water table is directly proportional to the square of the increased electrical power consumption, says the author

e all presume that if the dams and reservoirs are full then electrical power could be available in plenty. However, we tend to ignore that the demand for electrical power has been growing at a much faster rate than what we can produce and, hence, any amount of rain and or electrical power generated is insufficient to meet our demand. Most thermal power plants are running low owing to a short supply of coal. So where are we?

The recent changes in temperature and erratic rainfall has a direct relationship with urbanization. With increased urbanization and industrialization, we have only created a greater need for energy. This energy is sourced primarily from fossil fuels such as coal and nuclear power plants. In the absence of rains, the only means of generating electrical power is by burning fossil fuels. The burning releases emissions into the atmosphere, resulting in increased CO, concentration in the troposphere, and subsequently the greenhouse effect. The disturbed rainfall pattern is a result of this global warming.

The demand for power can be classified into four areas: agricultural need-based; industrial need-based; commercial need-based; and domestic need-based

Today, a number of agencies such as the Bureau of Energy Efficiency (BEE), Petroleum Conservation Research Association (PCRA), the National Productivity Council (NPC) and a host of voluntary organizations, are working at ensuring energy efficiency in industries. But while the commercial and domestic need-based sectors have the potential, little is being done in this area. These sectors need a lot of education, motivation and awareness

The agricultural industry needs the greatest attention, mainly in irrigation pump-sets (IPs). Most IPs are being operated free or on highly subsidized electricity supply. But eventually they consume a lot of power.

For instance, there are 16,000 irrigation pumps reportedly being operated under the HESCOM (Hubli Electric Supply Company), a division in North Karnataka If, on an average each 5 HP pump consumes 3.73 kW of power per hour (there are actually a greater number of 10 HP pumps), the total consumption is as below

For 10 hours per day = 37.30 kWh For 200 days of watering = 7,460 kWh (7.46 MWh/pumpset)

For 16,000 sets, it is 119,360 MWh which means, 358,080 MWh of power generation at the power plant.

To reduce this consumption, should the IP users be asked to change over to energy-efficient sets? The question is:

- a can the users afford the change?
- are they willing to accept the new brands of sets imposed on them?
- can the sale of inefficient IP sets be controlled?

Or should measures be adopted where the users may not use the IPs at all? Or can power consumption be reduced?

One good method is to reduce power consumed by IP sets by increasing the water table. If the water table can be increased by, say, 13 ft, then for the same 150 LPM delivery we will need a 4 HP (2.984 kW), and the savings for 16,000 IP sets would be 23,872 MWh, which is 20 percent approximately 1.5 percent power saving for every feet of increase in the water table. This increase in water table can be achieved by adopting rainwater harvesting through either bunds or by natural filtration tanks or by preventing pumping of water by making use of rainwater

Now who meets the cost of these programs is one big question. Let us see how the electrical supply company benefits: If the organization spends around Rs 5,000 per IP set, we have Rs 800 crore as the capital investment on rainwater harvesting. For an annual savings of 23,872 MWh of electrical power, a savings of Rs 9.55 crore at the rate of Rs 4 per kWh for every feet increase in the water table.

It is always better not to use energy than try and save energy

When a process industry utilizes water for its operations, then this water has to be demineralized or softened. To do this, it will need electrical power. Also due to dissolved solids and increased concentration, repeated breakdowns may happen, demanding periodic maintenance and scraping of industrial components, which means more energy consumption.

Now, greater the amount of rainwater harvested, lesser will be the dissolved solids, which means less breakdowns and increased fuel savings. Once the fuel consumption comes down, the release of CO, into the atmosphere is also reduced. Reduced CO, means lesser effect on global warming. This will then lead to stable weather conditions and predictable monsoons. Once the ecological cycle is renewed, achieving a balance between industrial. agricultural and environmental growth is easy.

Water is a renewable source of energy and must be conserved.

Courteey: Mallikarjun A. Kambalyal. President, Sunshubh Renewable Energy Foundation E-mail: mailu solar@yahoo.co.uk

The Bulletin on Energy Efficiency August 2005 Vol 6 lessu

Figure 3 - Water Energy two faces of the Coin.

PART 1 - GENERAL

CARBON FOOTPRINT - GREEN PLEDGE (PROPOSED)

We the Principal, the staff and students, adopt responsible practices in our daily activities with due regard to the environment. We set and continually review objectives and targets for achieving our goal to protect our entire college premises in front, backyard and all other non-approachable areas of all primary and secondary pollutions.

We seek to compile with safety and environmental regulations to implement inhouse standards to improve our environmental performance. We commit ourselves to the safe operation of all our working habits, be it in classrooms, library, canteen, on road, off road, in-campus out-campus as well as at our place of stay. We adhere to reduce environmental load by efficiently using resources, saving energy, reducing waste, encouraging material recycle, with special emphasize to minimising emissions of greenhouse gases, ozone depleting substance and particle matter.

We endure to minimise environmental loads and adopt environmentally friendly technologies when ordering and purchasing necessary products and resources. We endure to attend educational programs and promulgate our close friends and colleagues to follow suite We endure to ensure that we recognize the essence of this Green policy by actively and aggressively conducting workshops and training to all in environmental concepts. We make wide ranging social contribution to close association with the students, teaching staff, administrative staff, housekeeping staff by disclosing environmental information and supporting environmental consumption.

-Sd-

Principal

(Indicative templet for display at all prominent areas, waiting rooms, canteen, library, relaxing areas in the campus.)

ACKNOWLEDGEMENT:

SUNSHUBH TECHNOVATIONS PVT LTD., is pleased to express its sincere gratitude to the management of KLE Society's Shri Kadasiddheshwar Arts College and H. S. Kotambri Science Institute, Hubballi, Karnataka, for entrusting SUNSHUBH TECHNOVATIONS PVT LTD., with the assignment on Green Earth practices based on Educate, Practice, Advocate & Manage the resources in their educational organization.

We also wish to thank the officials and the maintenance staff for the help rendered during the energy flow study.

We would fail if we neglect to appreciate the sincere efforts put in by the 7th Criteria Team lead by the able and motivating Principal Dr. Uma V. Nerle and the students who against all odds have kept the college premises clean to the possible limits. Without the crucial and significant support from the fellow teaching team the energy savings and carbon footprint reduction would not be a reality.

With the motivational support of the management, ground realistic support

from teaching team and sincere efforts of the students in incorporating the change (habits) and instructions, the college could effectively declare the reduction in Carbon footprint and optimize the waste reductions.

We are not in a position to compute the carbon foot print at this point of time as the basic information from each of the students is yet to be collected; however, we will discuss the Carbon Foot print in the follow up compliance report.



SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 21 of 96

Wishing the team, a great success we deeply express our gratitude and heartfelt "THANKYOU" for allowing us to assess the energy flow scenario there by the ENERGY STATUS.

We acknowledge the involvement of HODs & Coordinator

Name	Designation
Dr. Uma V Nerle	Principal
Shri S N Emmi	IQAC Coordinator
Dr Siddesh M B	Co-Coordinator IQAC
Smt S S Patted	Convener Criteria 7
Dr. K S Betageri	Convener Green Audit
Smt Devadatta Y	Convener

Mallikarjun A. Kambalyal. B.E.(E&C).

Certified Energy Auditors (EA-3485)

SUNSHUBH TECHNOVATIONS PVT LTD...

SUNSHUBH TECHNOVATIONS PVT LTD.

Page No. 22 of 96

Criteria 7.1.6

GREEN AUDIT COMPLETION CERTIFICATE

I. Mallikarjun A Kambalyal, endorse and confirm that the GREEN Audit has been carried out on 6^{th} Aug 2020 under the instructions of Principal, Dr. Uma V. Nerle for

KLE Society's Shri Kadasiddheshwar Arts College and H. S. Kotambri Science

Institute, Hubballi, Karnataka. This report is generated based on the site visits and

evidence collected from the site.

All attempts have been made to evaluate the scope for development and

inculcate green practices in the campus and extended throughout the campus.

The focus is also laid to make positive impact on the society for a better living.

I also confirm and sign this certificate, in case the institution needs demonstration,

my team of professionals shall be happy to do so.

We present this report to much more than the legal or mandatory compliances.

This report is tabled in two parts. The first forms the core discussions which are

general in nature. The second section is subject specific under the statutory

requirements of the NAAC accreditation norms. They are Audit reports on, Green aspects, Energy aspects, Environment aspects, Health aspects and the discussions

on net CARBON FOOTPRINT & the CARBON HANDPRINT initiatives.

Any modifications, changes, omissions after the site visit shall be exclusive.

Authorised Auditor.

Mallikarjun A. Kambalyal B.E (E&C)

Certified Energy Auditors EA-3485& ISO 50001:2011 & ISO14001:2015 Lead Auditor.



BUREAU OF ENERGY EFFICIENCY

Examination Registration No	EA-3485	Serial Number	2838
Certificate Registration No.	2838		



Certificate For Certified Energy Manager

This is to certify that	Mr./Mrs /Ms	Mallikariun A Kaml	alval
Son/Daughter of Mr./Mrs. An	danappa V Kan	nbalval	
Son/Daughter of Mr./Mrs. An Examination for certification of	energy manager i	neld in the month of	11 2006
qualified as certified energy m (Certification Procedures for En	lanager subject to	the provisions of Burea	u of Energy Efficiency

This certificate shall be valid for five years with effect from the date of award of this certificate and shall be renewable subject to attending the prescribed refresher training course once in every five years.

His /Her name has been entered in the Register of certified energy manager at Serial Number 2838 being maintained by the Bureau of Energy Efficiency under the aforesaid regulations.

Mr/Mrs/Ms. Mallikarjun A Kambalyal is deemed to have qualified for appointment or designation as energy manager under clause (/) of Section 14 of the Energy Conservation Act, 2001 (Act No.52 of 2001).

Given under the seal of the Bureau of Energy Efficiency, this 7th day of February, 2013

1/2

Secretary Bureau of Energy Efficiency New Dothi

Secretary's Signature	Dates of attending the refresher course	Secretary's Signature
(3)x -		
		Signature refresher course

Figure 4 - Bureau of energy Efficiency Read No: EA3485

Certificate of Successful Completion



This is to Certify that

MALLIKARJUN A KAMBALYAL

has successfully completed the Intertek

CQI & IRCA Certified ISO 14001:2015 **Auditor Conversion Training Course**

The Course includes the assessment and evaluation of Environmental Management Systems to conform to the requirements of ISO 14001:2015 and ISO 19011:2011

This course is certified by the Chartered Quality Institute (CQI) and the International Register of Certificated Auditors (IRCA) - IRCA REFERENCE 18093 -

The course meets the training requirements for individuals seeking certification under the IRCA Auditor Certification Schemes



Figure 5 - ISO Certified Lead Auditor. Certificate No: 47730

habit

making excellence





BSI Training Academy

This is to certify that

Mallikarjun A. Kambalyal

has attended and passed

Energy Management Systems (ENMS) Auditor/Lead Auditor Training Course (ISO 50001:2011)

Premanand Ramakrishnan, Director of Training

14/04/2016 - 18/04/2016

ENR-00253448 Certificate Number. This certificate is valid for 3 years from the date above for the purpose of registering as an auxilior with IRCA

•

Course number A17583 certified by IRCA

The British Standards forthitten's incorporation by Reyal Charlos (Beitung Resa), New Delh's 110066, India Tol's 1111, 2012 2002 B.S. India, The Man Companie Sultes (A.S.). Plot 1.5.2 inhere: Nagar Lethness Resa, New Delh's 110066, India Tol's 111, 2012 2005

Figure 6 - ISO Certified Lead Auditor. Certificate No: ENR-00253448



Teilnahmebescheinigung

Mr. Mallikarjun Andanappa Kambalyal

has successfully completed the

Manager Training Programme of the Federal Ministry of Economics and Technology

Germany, September 02 - 28, 2013

Energy Efficiency in Industrial Enterprises

Cologne, September 28th, 2013

Dr. Steffi Art!

Hubert Smarowos

TÜV Rheinland Akademie GmbH • Alboinstr. 56 • 12103 Berlin

Figure 7 - Manager training programme, Germany





Certificate Fit for Partnership with Germany

Mr Mallikarjun Kambalyal

has successfully participated in the

Manager Training Programme of the Federal Ministry of Economics and Technology with India

from September 2 to September 28, 2013 in Germany.

The programme was carried out by the $\ensuremath{\mathsf{T\bar{U}V}}$ Rheinland Akademie, Cologne.

The Manager Training Programme is funded by the Federal Ministry of Economics and Technology of the Federal Republic of Germany. GIZ is the general manager and coordinator of the programme

Bonn, September 2013

Reimut Düring

Head of Manager Training Programme GIZ – Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH Senior Project Manager GIZ – Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH

Figure 8 - Fit for partnership with Germany

It's an optimistic & highly dedicated team effort lead by the Principal & the senior staff who have dedicated all their wits & free time to initiate Green Carpet the entire college premises. It is also a fact that there do exist few short comings which however is unintentional & on being trained & educated the campus should l_{00k} for continued minimized waste generation. With all due appreciation to $th_{\mbox{\scriptsize e}}$ management, staff involved & cooperation by the students, we have made $f_{\mbox{\scriptsize ew}}$ suggestions which on implementation, will reduce, demand for water & electrical power. It will also reduce the existing level of pollution to bear minimum.

NO WASTE - NO POLLUTION - NO HEALTH HAZARD.

WHY IS THIS AUDIT BEING CARRIED OUT?

Whether you own or manage a small business, a large commercial facility, or a manufacturing operation, it's important to take advantage of any tips, programs and incentives that will help you save money on your energy bills. There are measures that will generate savings to positively impact your bottom line immediately, as well as longer-term strategic initiatives to assess your needs and stabilize your energy spend in the longer term – which is great news for your budget!

One such initiative is an energy audit. Energy audits reveal your usage patterns, identify waste, over-expenditure and, generally, make you fully cognizant of where your energy dollars are going. This knowledge will enable you to be more efficient with your energy use and be able to track and accelerate savings. Energy Audits may sound expensive or complicated, but they can be free and are easier than you think.

WHAT IS AN ENERGY AUDIT?

An energy audit is an analysis of a facility, indicating how and where that facility can reduce energy consumption and save energy costs. Its insight to energy efficiency and conservation can lead to significant savings on the company's utility bill.

WHY SHOULD YOU GET AN ENERGY AUDIT?

Energy costs are soaring and your business can be at considerable risk if you do not take the guesswork out of your energy usage and the budget you need to cover it. Energy audits identify where your business is wasting energy. Residential and commercial properties account for around 10% of carbon emissions in the US, according to the EPA, which means they are very inefficient and waste huge amounts of energy and... revenue. An energy audit helps by revealing just how and where energy is being wasted. With thousands of commercial energy customers nationwide, we are well-qualified to advise you on which methods are best used for reducing energy waste and overall energy consumption. Let's start with a simple free evaluation of your bills and show you how we have been found to save between 5% and 35% for many of our customers.

In the case of energy, less is more. Lower energy consumption equals lower energy costs. And, of course, less energy consumption is obviously good for the environment.

As you can see, to be truly effective, energy management requires a strategy just like the other aspect of your operation and measures to curb costs can be simple and in some cases free. Gaining more control over your energy costs will improve the general health of your budget. Not only that but reducing your CARBON FOOTPRINT is great for the environment too!

GREEN AUDIT OBJECTIVES

Energy Audit was initiated in the beginning of 1970's, with the motive of inspecting the work executed within an organization, whose exercises could cause risk to the health of inhabitants and the environment. It exposes the genuineness of the proclamation made by the organisation with the concern on health issues. As a consequence of their operations with respect to environmental pollution it is the duty of the organisation to carry out the Energy Audit of the ongoing processes for various reasons, such as,

- To make sure whether one is performing in accordance with the relevant rules and regulations,
- To improve the procedures and aptness of material in use,
- To analyse the potential duties and to determine a way which can lower the cost and to the revenue.

Through Energy Audit one gets adoration as to how to improve the condition of the environment. There are various factors that were forced upon and determine the growth of/or conduct of Energy Audit. Incidents like,

- Decades old Bhopal gas tragedy, that has left its residual effect which still haunts us.
- Our buildings catching fire due to various reasons,
- Industries blowing off taking valuable human lives etc
- People going sick, feeling tired, after long hours of operations in the organization,
- Increased demand of generators due to inconsistent power supply, which has resulted or lead into recent floods and droughts,

are some of the situations to ponder about!

To address various issues in context with human health, Energy Audit is assigned to "Criteria 7" of NAAC (National assessment and accreditation council) accreditation. NAAC is a self-governing organization in India that declares the institutions as Grade "A++", "A+", "A", Grade "B", according to the scores assigned at the time of accreditation.

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 31 of 96

The other intention of organising Energy Audit is to update the environment conditions in and around the institutions i.e., within the compound and outside the compound. It is carried out with the aid of performing certain tasks like waste management, energy consumed, diesel burnt it performing the objective of the organization. Lastly to self-assess the net carbon footprint of the conduct of process in the organization.

THE GOALS OF GREEN AUDIT

- The purpose of carrying out Green Audit is securing the environment and cut down the threat posed to human health.
- To Make sure that rules and regulations are complied with.
- To avoid the environmental interruptions that are more difficult to handle and their corrections call for high cost.
- To suggest the best protocol for adding to sustainable development.
- To execute the process of the organisation utilising minimum natural resources and efficient use of those resources contributing to minimum waste generation.

How is the green audit conducted?

- Pre-audit
- Plannina
- Selecting the team of auditors both internal and external
- Schedule the audit facility
- Acquire the background information
- Visit areas under audit

Page No. 32 of 96

UNDERSTAND THE SCOPE OF AUDIT

- Analyse the strengths and weaknesses of the internal controls
- Conduct audit with end user comfort focused and making it easy to perform,
- Collect necessary evidence so that the stakeholders stand to understand how and where they are going wrong in the process of their conduct.
- Post audit draw the report based on the data collected.
- On confirmation of the preliminary report, draw a final report of the observations and inference with accuracy more near to implementable way.
- Discuss various remedial measures for alternatives if required.
- Prepare an action plan to overcome the shortcomings with continual observation on the action plan initiated.

Steps under green audit

- Water is one of the cheapest commodities next to the Air we breathe.
 Although we Indians, use less water in comparison to western countries.
 However, the extent of pollutants that we leave behind has polluted all the resources including the deep well.
- Rainwater harvesting is one of the best techniques that can be adopted by harvesting the rainwater and using it at the time of scarcity, the audit team to observe and investigate the relevant methods that can be adopted and implemented and draw the balance of use of water.
- The point of generation of waste, the type of waste generated, i.e.,
 hazardous, recyclable and organically compostable wastes and segregating
 method at the point of generation for easy and best way to handle the same.
 Evaluating such methods to minimise the use of resources in the process of
 their management.
- It deals with use of energy in the conduct of the process. The priority is topmost
 for conservation over efficiency; hence, energy auditor should always
 consider not to use the energy if necessary. At best it can be used judiciously.
- It analyses air quality, noise level and the programs undertaken by the
 institution for plantation creating awareness of trees around us and how
 nature provides us with remedial measures within its framework.

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 33 of 96

- In the process of use of resources and conduct of the activities, they can develop impact on human health, that might be off minutely harmful, cause permanent disorder or may even cause death. Occupational health hazards are discussed in detail and the stakeholders are informed of the same and required necessary remedial measures indicated.
- To make in organisation net zero net zero carbon emission use of renewable resources including energy such as solar wind biogas geothermal energies are put into ooh utilisation.
 - The net impact All the above energy audits should be to make an organisation contribute zero emissions which are called bye bhai use of water generation of waste use of energy e environmental damage health damage and finally to explore if the campus or direction can go in in contributing to third-party emissions minimising
- To draw home the benefits, the system has been separated out into various audits
 as listed above. In doing so, and if audit findings are effectively implemented there
 are many advantages that can be practised in the process
- Recognise the cost saving methods through waste minimising and managing technologies.
- Point out the prevailing and forth coming complications.
- Authenticate conformity with the legal requirements.
- Empower the organisation to frame a better environmental performance.
- Portray a good image of the institution which helps build better relationships with the group's organisations, stakeholders in and around its operations
- Enhance the alertness for environmental guidelines duties and conduct of preparedness for any eventualities due to environmental disasters proposed)
- Indicative templet for display at all prominent areas, classrooms, waiting rooms, canteen, library, relaxing areas in the campus.

GEOGRAPHICAL CONSIDERATIONS:


Before we present our report, the factors that are considered for positive $imp_{Q_{\mathbb{Q}_1}}$ recommendations are,

CLIMATIC CONDITIONS

Before we present our report, the factors that are considered for positive $imp_{\alpha_{C^{\dagger}}}$ recommendations are,


CLIMATIC CONDITIONS

CLIMATE HUBBALLI (INDIA)




This city has a tropical climate. In winter, there is much less rainfall than in summer. This location is classified as Aw by Köppen and Geiger. The temperature here averages 24.4 °C | 75.9 °F. In a year the rainfall is 894 mm | 35.2 inch.

CLIMATE GRAPH // WEATHER BY MONTH HUBBALLI.



The least amount of rainfall occurs in January. The average in this month is 1 mm | 0.0 inch. Most precipitation falls in July, with an average of 190 mm | 7.5 inch.

AVERAGE TEMPERATURE HUBBALLI



The temperatures are highest on average in April, at around 28.0 °C | 82.5 °F. In August, the average temperature is 22.7 °C | 72.9 °F. It is the lowest average temperature of the whole year.

WEATHER BY MONTH // WEATHER AVERAGES HUBBALLI

	January	February	March	April	May	June	July	August	September	October	November	December
Avg.	23 °C	25°C	27.2 ℃	28 ℃	27.2 °C	23.9 ℃	22.7 °C	22.7 °C	23.1 °C	23.7 °C	23.4 °C	22.8 °C
Temperature °C	(73.4)	(77) °F	(81) °F	(82.5)	(81) °F	(75.1)	(72.9)	(72.9)	(73.7) °F	(74.6)	(74.1) °F	(73) °F
(°F)	°F			°F		•F	op.	*F		*F		
Min.	16.5 °C	18°C	20.3 °C	22 °C	22.4 °C	21.7 ℃	21.1 °C	20.9 ℃	20.6°C	20°C	18.3 °C	16.8 °C
Temperature °C	(61.6)	(64,5) °F	(68.6)	(71.7)	(72.4)	(71.1)	(70) °F	(69.6)	(69.1) °F	(68) °F	(64.9) °F	(62.3) °F
(°F)	°F		°P	۰F	°F	°F		°F				
Max.	29.6 °C	32 °C	34.5 °C	35.5 °C	34℃	27.7 ℃	25.7 °C	25.9 ℃	27.1 °C	28.3 °C	28.8 ℃	29 ℃
Temperature °C	(85.3)	(89.5) "F	(94.1)	(95.9)	(93.1)	(81.9)	(78.2)	(78.5)	(80.7) °F	[92.9]	(83.9) F	(84.2) °F
(°F)	平		og.	°F	°F	ok	平	-pp		*F		
Precipitation /	1	1	7	27	63	169	190	153	127	116	34	6
Rainfall mm (in)	(0)	(0)	(0.3)	(1.1)	(2.5)	(6.7)	(7.5)	(6)	(5)	(4.6)	(1.3)	(0.2)
Humidity(%)	44%	40%	41%	53%	63%	83%	87%	86%	83%	74%	59%	48%
Rainy days (d)	1	0	1	5	8	18	21.1	28	14	11	3	1
avg. Sun hours (hours)	9.8	10.2	10.4	10.3	9.3	5.6	5.0	5.0	5.7	7.5	8.7	9.2

SUNSHUBH TECHNOVATIONS PVT LTD

Page No. 36 of 9,

The variation in the precipitation between the driest and wettest months is 189 mm | 7 inch. The average temperatures vary during the year by 5.3 °C | 9.6 °F.

The month with the highest relative humidity is July (86.70 %). The month with the lowest relative humidity is February (39.67 %).


The month with the highest number of rainy days is July (27.47 days). The month with the lowest number of rainy days is February (0.40 days).

LIMITATIONS:

Our recommendations are in the interest of conservation of Electrical Energy and Green Culture i.e. the reduction in CARBON FOOTPRINT. The compliance to the recommendations will be subjected to meeting the safety and Environmental rules and guidelines.

PART 2 TECHNICAL

DISCUSSIONS ON EXECUTIVE SUMMARY.



Aerial View of the College Campus.


Figure 9 Aerial New of campus

It is also prominently exhibited in all prominent places. Aerial view indicates that the management has shown keen interest in providing the amenities and is focusing on keeping the campus green there by the cool environment within the boundaries of the college.

SKILL DEVELOPMENT.

Sr No	Observati on*	Problems*	Resulting benefits*	Remedial measures*	Capital *	Projected savings*
1	Skill Develop ment	Artistic shear	ring of plants.			

The institute has few hidden good practices which surface on every visit. It throngs with very creative activities. It has left no opportunity in identifying the artistic skills.



Etching out various shapes from the leaves, Chalks is an art which if identified and promoted, can bring about creativity. Honoring such talents is important for motivation. Few such events could some day chumout extra special talents.

The need to address the nuisance caused due to continuous honking can be used as an advantage to educate the children in experimenting the typical wild grass seen in nearby areas, It can can be used to sieve mats and used as sound barriers to address the sound pollution.





This option can address various issues.

- · Understand the use of Wild grass.
- Educate the children in using natural resources.
- Create self-employment by learning weaving along with other children.
- Respect nature by appreciating all that the nature creates on the earth.





DIFFERENTLY ABLED CHILDREN

Sr No	Observati on*	Problems*	Resulting losses*	measures	-3	Projected savings*
2	Differently abled children.	Committee commutation children.	to monitor n, sitting arro	and arrange angements, was	the bashroom fo	sic needs \mathbb{R}_{k_0} these special

GREEN AUDIT - Observations/Recommendations.

The institute has many short comings in meeting the requirements of the Physically challenged people. The college to setup a committee on immediate basis and come up with the action plan.

The check list is enclosed for compliance in line with the NAAC requirements under the 7^{th} Criteria.

DISABILITIES FOR DIFFERENTLY ABLED

This section needs to be self-evaluated by constituting an internal team.

The corrective measures would take time but a move towards the implementation would be appreciated.

NAAC co-ordinating team may please look into the aspects and act.

Need to form an inhouse committee on making the campus disabled friendly. A clear task is necessary and the required check list is presented for compliance. Before we conduct check on compliance.

A Brief note on Green Audit.

Please refer to http://www.disabilityindia.co.in/ for more information.

The green audit primarily lays focus on Energy use, its impact on environment and remedial measures.

It is equally focused on ways of making life of differently abled persons easy and readily adoptable to changing working environment.

Page No. 41 of 96

Every citizen has to feel self-sufficient on economic front and self-reliant on meeting his daily chores.

While we have discussed elaboratively on Energy and Environmental aspects in the connecting audit reports, let us understand how we can focus on making differently abled life more meaningful Thus, the special focus.

Disabilities for Differently Abled.

In order to develop awareness in the higher education system and also to provide necessary guidance and counselling to differently-abled persons, it is expected that the Institutes

Facilitate admission of differently-abled persons in various courses.

Provide guidance and counselling to differently abled individuals.

Create awareness about the needs of differently abled persons and other general issues concerning their learning

Assist differently-abled graduates to gain successful employment in the public as well as private sectors.

The major functions of the institution should be,

- To provide counselling to differently abled students on the types of courses they could study at the higher education institutions.
- To ensure admission of as many differently-abled students as possible through the open quota and also through the reservation meant for them.
- To gather orders dealing with fee concessions, examination procedures, reservation, policies, etc., pertaining to differently-abled persons.
- policies, etc., pertaining to differently-abled persons.
- To assess the educational needs of differently abled persons enrolled in the higher education institutes to determine the types of assistive devices to be procured.
- To conduct awareness programmes for teachers of the institute about the approaches to teaching, evaluation procedures, etc, which they should address in the case of differently-abled students.

- To study the aptitude of differently-abled students and assist them in getting appropriate employment when desired by them after their studies.
- To celebrate important days pertaining to disability such as the World
 Disabled Day, White Cane Day, etc., in the institute and also in the
 neighbourhood in order to create awareness about the capabilities of
 differently-abled persons.
- To ensure maintenance of special assistive devices procured by the higher education institute under the HEPSN scheme and encourage differently, abled persons to use them for enriching their learning experiences.
- To prepare annual reports with case histories of differently-abled persons who are benefited by the HEPSN scheme sanctioned to the higher education institute.

PROVIDING ACCESS TO DIFFERENTLY-ABLED PERSONS



Figure 10 - Ramp for use by physically challenged

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 43 of 96

It has been felt that differently-abled persons need special arrangements in the environment for their mobility and independent functioning. It is also a fact that many institutes have architectural barriers that disabled persons find difficult for

their day-today functioning. The colleges are expected to address accessibility related issues as per the stipulations of the Persons with Disabilities Act 1995, and ensure that all existing structures as well as future construction projects in their campuses are made disabled friendly. The institutes should create special facilities such as ramps, rails and special toilets, and make other necessary changes to suit the special needs of differently-abled persons. construction plans should clearly address the accessibility issues pertaining



disability. Guidelines on accessibility laid out by the office of the Chief Commissioner of Disabilities.

Providing Special Equipment to augment Educational Services for Differently abled Persons

Differently-abled persons require special aids and appliances for their daily functioning. These aids are available through various schemes of the Ministry of Social Justice and Empowerment. In addition to the procurement of assistive devices through these schemes, the higher education institute may also need special learning and assessment devices to help differently-abled students enrolled for higher education. In addition, visually challenged students need Readers. Availability of devices such as computers with screen reading software, low-vision aids, scanners, mobility devices, etc., in the institutes would enrich the educational experiences of differently-abled persons. Therefore, colleges are encouraged to procure such devices and provide facility of Readers for visually challenged students.

INTERNAL AUDIT GUIDELINES.

This section discusses the planning and implementation of the actual $\operatorname{audit}_{\mathbb{R}_2}$ planning for the audit should cover:

- The core audit team
- Media management
- Overall coordination

Core Audit Team

- The audit team should assemble outside the venue in advance to discuthe process of the audit. The attendance sheet should be signed by all the members of \mathfrak{h}_{ϵ}
- assembled team.
- The team members should know the parts of the building they are to audit The appropriate part of the audit checklist should be used for each section
- of the building audited. It is important to address each item of the checklist
- The group should assess the area taking all kinds of disability into account
- The photographer must be briefed and be guided by a member of the core audit team.
- The results of the different parts of the audit must be compiled.
- The audit team should meet the authorities of the organization, with the media, to inform them of the findings of the audit and submit a representation. The team must get a commitment to incorporate the changes necessary to make the building disabled-friendly.

MEDIA MANAGEMENT

organization.

The media members should be asked to assemble at one place from where the will be transported to the venue of the audit or they should assemble at the site $^{\circ}$ the audit. A person must be appointed to coordinate with the media. A pres briefing should be held and the media provided with a press kit. The media $^{ ext{mus}}$ be invited to join the team when it submits its representation to the head of $^{\dagger\uparrow\uparrow\uparrow}$

OVERALL COORDINATION

Since the audit process involves many people, a well-defined programme for the audit has to be drawn up. The following must be kept in mind:

- A schedule. A person should be nominated to monitor adherence to the planned programme.
- A designated Coordinator for overall synchronization of the audit goals

The following items must be carried by the audit team:

- · copies of the audit checklist
- pens and hard boards
- attendance sheets
- · copy of The Disability Act, 1995
- awareness materials
- · copy of the representation to be submitted to the organization audited
- press kits

POST AUDIT REPORTING AND FOLLOW-UP

The reporting of the audit is in 2 parts:

- **a.** Report on the building being audited, for submission to the organization which houses the building; and
- **b.** Complete report containing all the details relevant to the entire audit exercise.

REPORTS TO BE SUBMITTED TO THE ORGANIZATION AUDITED

The data collected during the audit must be compiled and a report must be prepared. The report would be based on the following points:

- name of the place audited
- date of the audit
- members of the audit team
- observations on the areas audited, and the main conclusions of the audit
- suggestions for short-term and long-term improvement, based on the CPWD guidelines

follow-up guidelines

 Tollow-up guidelines

A time-trame can be suggested for adopting the suggested changes. This report

A time-trame can be suggested for adopting the suggested changes. This report

Th must be handed over to the audited organization, with a letter of appreciation for courtesies and cooperation extended, a copy of the completed audit checklist used to audit the institution and a copy of the relevant CPWD guidelines (sample formats)

REPORT OF THE ACCESS AUDIT PROJECT

A report of the audit itself must be drawn up. It should include the aims, the details of the audit process, i.e., the pre-audit preparation, the process itself and the post audit reporting and follow-up, including the results of the audit and suggestions for improvement, which have been made. The report should include photographs and copies of news clippings of the audits. This report must be archived for future reference and follow-up action.

Brief Description Of The Essentials Of A Building That Are Evaluated

ENTRANCES/EXITS

The main entrances and exits of buildings must be clearly identifiable and easily accessible. They must be wide enough to accommodate wheelchair users, Steps and ramps must have hand railings of contrasting colours. Building should have automatic sliding doors. In multistorey buildings, the entrance should permit access to a conveniently located elevator. Emergency exits should be easily identifiable and accessible.

PARKING

Parking for people with disabilities should be available near the building. IT should be accessible to cross-disability groups equally. Accessible indoor parking spaces should be located closest to the elevators and within 50 metres of building entrance. The parking slots reserved for people with disabilities should be marked with the international symbol of accessibility. There should be procedures in place to make sure that non-disabled people do not use parking spaces reserved for

Page No. 47 of 96

people with disabilities. Drop off areas should be marked by a well-defined signage system and an accessible travel path from this area to the building should be available.

RAMPS

Complementary ramps should be available next to stairs. The gradient of ramps should allow easy use by wheelchair users. Appropriate landings should be available and the ramps should be wide enough for use by wheelchair users. Ramps surfaces should be slip-resistant and clear of obstacles. They should be protected on both sides. Ramps should be marked with the international symbol of accessibility.

ELEVATORS

Elevators should be easily accessible and identifiable. The doors should be wide enough to accommodate wheelchair users and the space inside should be sufficient for them. Elevators should have handrails of contrasting colours on three sides and be at appropriate heights. Visual and audible signals indicating the arrival at different floors should be available. Emergency intercoms should be usable without voice communication in emergencies. Tactile/ Braille instructions should be provided for the communication systems.

Stairs

Stairs should be easily accessible and identifiable. The minimum width of the stairs should be wide enough and the landings have enough space at the top and bottom. The stair surfaces and nosing should be slop resistant. Handrails should be provided for staircases.

Corridors

The minimum unobstructed width of corridors should be wide enough for wheelchair users and should allow manoeuvring through doors along the length of the corridor. The corridors should have guiding blocks along its length.

SUNSHUBH TECHNOVATIONS PVT LTD

Page No. 48 of 96

Washrooms, Toilets And Bathrooms

Separate toilets should be available for people with disabilities. They should be clearly identifiable and accessible. The doors should be wide enough and should be lockable from inside and releasable from outside. There should be enough manoeuvring space inside. All floor surfaces should be slip resistant. Mirrors, flushing arrangements, dispensers and toilet paper should be mounted at appropriate heights. They should be equipped with alarm systems for emergencies.

Public Telephones

There should be at least one telephone accessible to wheelchair users and should be equipped with hearing aids. The numbers should be embossed to allow easy identification. The coin slots should be at appropriate heights.

Counters

This includes reception counters, ticket counters, cash counters and administration counters. Counters should be easily identifiable and accessible to wheelchair users. Counter staff should be able to communicate with persons with hearing and visual disabilities.

Drinking Water Facilities

They should be easily accessible and the fountain head accessible to wheelchair users.

The area around the fountain should be dry to prevent falls. Glasses should be provided at drinking water facilities. The taps should be easily manoeuvrable.

Eating Outlets

Accessibility of eating outlets for people with various kinds of disability must be assessed. Tables, service counters and cash counters should be at appropriate heights. There should be enough place inside for easy movement by wheelchair

Page No. 49 of 96

users. A menu card should be available in Braille. Facilities should be available for people with speech impairment to place orders.

AUDIT OF SPECIFIC AREAS OF BUILDINGS

Some buildings have areas specific to them and different aspects must be looked when auditing them.

Hospitals

Patients have to visit the examination and sample collection rooms of hospitals and may get admitted to wards in them.

Examination Rooms

Examination rooms should be easily identifiable and accessible. The examination tables should be of the right size and height.

Sample Collection Rooms

Sample collection rooms should be easily identifiable and accessible. The rooms should be large enough to enable easy mobility within them. The toilets attached to sample collection rooms should be east to use. The sample collection tables should be easily accessible.

Wards

Wards should be easily identifiable and accessible to people with different disabilities. Space in wards should allow easy mobility by wheelchair users. All fixtures should be at accessible heights. They should be obstacle free. Guiding lines should be available for people with visual impairment.

Banks

All counters should be easily identifiable and accessible. Counters should be at appropriate heights. The staff at the counters should be to communicate with people with hearing impairments. The manager's office should be easily

SUNSHUBH TECHNOVATIONS PVT LTD

Page No. 50 of 96

identifiable and accessible. Various forms should be placed at accessible counters and space should be available for the clients to fill the forms easily.

Automatic Teller Machines (ATM) should be easily accessible to clients with various types of disability. They should be placed in areas, which allow mobility for wheelchair users. They should be slip resistant and have grab bars.

Hotel Rooms

At least one room easily accessible should be located on the ground floor to enable rapid evacuation in case of emergencies. The room should be equipped with an alarm system. All fixtures and controls should be at accessible heights. The space in the room should allow mobility for a wheelchair user. The windows should allow unobstructed viewing for wheel chair users. Room facilities, like phones, fire alarms, wake-up alarms, etc., should be accessible to people with different disabilities.

Cinema Halls

Tickets counters and the hall should be easily accessible. Specific seats should be allocated to wheelchair users.

Government Offices

The public areas should be accessible to people with different disabilities. The counter staff should be able to guide people with different disabilities. Letter boxes should be accessible.

Historical Sites

The site details should be available in Braille. Trained guides should be available for people with different disabilities. Shops should be accessible.

THE DISABILITY ACCESS AUDIT CHECKLIST

The disability access audit checklist includes details that have to be looked into for carrying out a disability access audit. They must be completely and accurately filled out to carry out a meaningful audit. The checklist has been divided into two parts. Part 1 (A to K) is for areas common to all buildings audited, while Part 2 (L to Q) deals with areas specific to locations, like banks, cinema halls, etc. It is non-exhaustive and should be adapted to specific needs.

The checklist must be filled in by answering " yes ", "no", or " not applicable " to the questions. Observations made in the remarks column during the audit will determine how disabled friendly a location is.

Indicative In-house check list for disabled friendly persons.

CHECK LIST FOR COMPLIANCE

DISABILITY ACCESS AUDIT CHECKLIST					
Date of audit:					
Staff In charge					
Department:					
Audited by (organization):					
General Remarks &					
Suggestions:					
Name of the team leader and					
Signature					
A ENTRANCE					
 Before main entrance 					
(i) Are there steps?	Yes/No*. If yes, how many?				
(ii) Does the steps have	Yes/No*. If yes, one/both sides?				
railings?					
(iii) Is there a ramp? Does	Yes/No*				
the ramp have railings?					
(iv) Does the ramp have an	Yes/No*. Width?				
edge protection?					

Main Entrance the width of the entrance greater than or equal to 900mm? Type of door handle(if applicable) the height of the door andle the entrance? There a kerb at entrance? There a kerb ramp?		, age no.	
the width of the entrance greater than or equal to 900mm? Type of door Type of door handle(if applicable) The height of the door landle The height of the door landle The the height of the landle The the height of the door landle The the height of the landle The the height	Automatic/Swing/Sliding* Lever/Knob* Yes/No*. Height of Kerb: Yes/No*. Gradient:		
ype of door ype of door handle(if applicable) the height of the door andle between900mm- 100mm? there a kerb at entrance? there a kerb ramp? there the International	Lever/Knob* Yes/No*. Height of Kerb: Yes/No*. Gradient:		
ype of door handle(if applicable) to the height of the door handle to the height of the door handle(if height of the door handle(if height of the height of the door handle(if height of the height of the door handle (if height of the height of the door handle (if height of the height of the door handle (if height of the height of the door handle (if height of the height of	Lever/Knob* Yes/No*. Height of Kerb: Yes/No*. Gradient:		
the height of the door andle petween900mm-100mm? there a kerb at entrance? there a kerb ramp?	Yes/No*. Gradient:		
there a kerb at entrance? there a kerb ramp? there the International			
there a kerb ramp? there the International	Yes/No*		
there the International			
Disabled Logo)	Yes/No*.		
ide Entrance			_
ocation (e.g., along laig Road) (if there is nore than one location, please specify all)	Yes/No*. If yes, location at		
ide Entrance			
the width of the entrance greater than requal to 900 mm?	Yes/No*. Width:		
ype of door	Automatic/Swing/Slight		
ype of door handle (if pplicable)	Lever/knob*		
nm - 1100 mm?	Yes/No*. Height of kerb:		
ntrance?	Yes/No*. Gradient:		
there a kerb ramp?	Yes/No*		
there the International ymbol of Access Disabled Logo) isplayed?	Yes/No*.		
side entrance ccessible to the	Yes/No*. If no, g	give det	ails
I I Y Y I I	ntrance greater than requal to 900 mm? The of door repe of door handle (if oplicable) The height of door andle between 900 mm-1100 mm? There a kerb at at a harrance? There the International report of Access bisabled Logo) Splayed? Side entrance coessible to the heelchair-	ntrance greater than requal to 900 mm? The policable of door andle (if opplicable) The height of door andle between 900 mm - 1100 mm? There a kerb at other the International andle of Access of Sisabled Logo) The side entrance of the policable of the side	Intrance greater than requal to 900 mm? Type of door Type of door handle (if opplicable) The height of door andle between 900 m-1100 mm? There a kerb at other a kerb ramp? There a kerb ramp? There the International of Access bisabled Logo) Insplayed? Side entrance yes/No*. If no, give detected the processible to the heelchair-

					Pag	je No. 53
	section A2 as a guideline).					
6	Is the accessible entrance clearly identifiable?	Yes/No*.	If	no,	give	details
7	Is the entrance wide enough?	Yes/No*.	lf	no,	give	details
8	Is the door a push-open door?	Yes/No*. If I	no, giv	e details	!	
9	In multi-storey buildings, does the accessible entrance permit access to a conveniently located elevator?	Yes/No*. If	no, giv	ve details	:	
10	Is the entrance landing area sufficient?	Yes/No*. If I	no, giv	e details		
11	Is the entrance landing easily identifiable?	Yes/No*. If r	no, giv	e details:		
12	Are there tactile landing areas free of obstacles?	Yes/No*. If r				
13	Is the entrance landing area free of obstacles?	Yes/No*. If r				
14	Are emergency exits easily accessible?	Yes/No*. If r	no, giv	e details:		
В	CAR PARKING					
1 (i)	Is there a parking lot for the disabled person within the building?					
(ii)	Are there accessible parking facilities?	Yes/No*				
(iii)	Are indoor parking spaces located closest to accessible elevators	Yes/No*				
(iv)	Are accessible parking spaces within 50 meters of building entrances?	Yes/No*	172-14			
2	If yes, how many are there and state location where these can be found (e.g., Basement 1, lot#112 near lift)	Yes/No*. If y			o* If ves	describe
3(i)	Is there the International Symbol of Access (Disabled Logo) printed on the parking lot	Yes/No*.Size signboard u	e or log	go, res/N	.ii yes,	

Page No. 54 of 96

(ii) Is there a vertical and visible signboard indicating that the lot is for the disabled driver? 4 Are there directional signs within the parking lot to indicated the location of the parking	describe
Are there directional Yes/No*. signs within the parking lot to indicated the location of the parking	
lot for the disabled person?	
Size of parking lot.(Min. Dimension: Size: 4800 mm x 3600 mm)	
accessibility from the parking lot to the lift lobby/building entrance. There is a kerb ramp at the Entrance lift lobby. There is a swing/automatic/ Manueleading to the main Width of door entrance is at least wide Corridor width is at least 1200 m Width: Width of lift door is at least 900 m Width: State the type of flooring used	ollowing: ce of the ce of the Gradient: al* door building 900 mm Width: im wide
C Taxi Stand	
Is there a taxi stand at the building? If yes, please state the location (e.g., at the main entrance) Yes/No*. Location:	
2 Is there a kerb at the taxi Yes/No*. stand?	
Are these one/two kerb ramps for boarding and alighting the taxi? One/Two* Ramps Ramp for Boarding. Yes/No*.	Kerb 'es/No*.
D Lift	
1(i) Is the lift accessible to Yes/No*. every floor?	
(ii) Is there an accessible If no, please specify which floor(s) path leading to the elevator?	
(iii) Is the elevator door easy If no, please specify which floor(s) to identify?	the lift

	Y	Page No. 53 of
2	Is the clear door opening width more than 900 mm?	Yes/No*. Width:
3(i)	Is the height of the call button (outside the lift) between 900 mm-1100 mm?	Yes/No*. Height between:
(ii)	Is the space inside the elevator enough?	Yes/No*. Height between:
4	Is there an audio system installed (talking lift) for the lift?	Yes/No*.
5	Are there Braille/raised (for the visually impaired persons) numbers used on the control panel?	Yes/No*. Height between:
6	Is the control panel placed at a height of between 900 mm - 1200 mm from the floor level	Yes/No*. Height between:
7(i)	Are there grab bars inside the lift?	Slides: Yes/No*.
(ii)	Are the doors and handrails of the elevator of contrasting colour?	Slides: One/Both* Rear: Yes/No*.
8	Are the grab bars placed at height of 900 mm from the floor?	Yes/No*. Height:
9	Is the emergency intercom usable without voice communication?	Yes/No*.
10	Is the door opening/closing interval long enough?	Yes/No*.
11	Is the floor of the elevator non-slippery	Yes/No*.
E	Public Telephone	
1	Are there public telephones for the disabled person. If yes, provide location (e.g., level 1,2)	Yes/No*. Location:
2	Is the height of the operable parts (highest and lowest) of the	Yes/No*. Actual height between:

_		rage No. 56 of
	public Phone between 800 mm-1200mm	
3	Is there a clear knee space of more than 680 mm	Yes/No*. Actual clear knee space:
4	Is there at least one telephone equipped with hearing aids?	
5	Are the numerals on the telephone raised to allow identification by touch?	
6	Is the coin slot mounted at an appropriate height?	
7	Are accessible facilities identification?	
F	Counters	
1	Is the counter easily identifiable?	
2	Is the level of the counter accessible?	
3	Is the staff able to communicate with people with visual, hearing and speech impairment?	
4	Is the staff supportive to mentally-challenged clients?	
G	Public Toilets	
1 (i)	Are there separate toilets for the disabled person? Is the accessible toilet identified by a sign?	Yes/No*.
(ii)	Is the entrance to the public toilet accessible to people with disabilities?	Yes/No*.
(iii)	Is the width of the door wide enough?	Yes/No*.
(iv)	Is there enough manoeuvring space in the toilet?	Yes/No*.

2	Are the toilets for the disabled person available on every floor?	Yes/No*. If no, specify on which floor they are available
3	What type of toilets is provided?	Individual/Compartment/Both*
4	Are the measurements of the toilet for the disabled person the same (if there are more than one toilet?	Yes/No*.
5	If the toilets for the disabled persons are different from one another, please complete separate copies for each toilet surveyed Sketch toilet surveyed (include door, water closet, wash basin, door and grab bars)	Please tick on the box and delete accordingly for the following Individual washroom/compartment * Individual washroom: Have clear dimensions between opposite walls of not less than 1750 mm. Actual dimension: mm

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. of 96

		Page No. 58 o
		Actual clear knee space: (W) x (D)
		Water closet is located between 460 mm - 480 mm from the centreline of the water closet to adjacent wall. Actual distance: Clear dimension of 750 mm from the front edge of the toilet bowl to the rear wall. Actual distance:
		The passage way leading to the cubicle is at least 900 mm. Actual width:
6	Is there at least one accessible shower?	ACTUAL WIGHT.
7	Are grab bars installed in bathtubs and showers at an appropriate height?	
8	Are accessible showers equipped with shower seats?	
9	Are the grab bars slip resistant?	
10	Can grab bars withstand load?	
11	Is the mirror at an appropriate height?	
12	Is the rest room equipped with an alarm system accessible to people with different disabilities?	
13	Are flushing arrangements, toilet paper and other dispensers mounted at an appropriate height?	
14	Are flushing mechanisms easy to operate?	
15	Are the doors lockable from inside and released from outside in emergency situations?	
Н	Drinking Water Facility	
1	Is the water tap easily accessible?	

Page No. 59 of 96

	T	rage No. 37 Oi
2	Can it be easily manoeuvred by a person with poor hand function?	
3	Is the area dry?	
4	Are glasses provided?	
1	Cafeteria	
1	Is there an eating outlet located within the building?	Yes/No*. Location
2	Is the eating outlet generally accessible to the disabled?	Yes/No*.
3	Is there a circulation path/passageway of at least 900 mm wide to allow the wheelchair user to move around the eating outlet and order their food?	Yes/No*.
4	Is there a table reserved for the disabled?	Yes/No*. If no, give details of seating arrangements:- Height of table-top not higher than 800 mm with a minimum clear knee of 700 mm x 480 mm deep. If no, provide Measurement: Table-top: Clear knee space: x Table with fixed stools/chairs Table without fixed stools/chairs
5	Are there directional signs to lead the disabled person to the reserved table?	Yes/No*.
6	Is there enough leg clearance space below the table?	Yes/No*.
7	Is the height of the table appropriate?	Yes/No*.
8	Is the height of the cash counter appropriate?	Yes/No*.
9	Is there a menu card available in Braille?	Yes/No*.
10	Is there a facility for a person with speech impairment to be able to pace an order?	Yes/No*.

Page No. 60 of 96

1		Page No. 60 o
11	Do the tables have straight legs?	Yes/No*.
J	Staircase	
1	Applies to flights of steps Check the following:	State where the staircase is located:
2	Are there handrails	Yes/No*. If yes, one/both sides
3	Height of hand rails between 800and 900 mm from the floor	Yes/No*.Actual height:
4	Are the handrails continuous	Yes/No*.
5	Is there a levelled platform at the top and bottom step extending not less than 300 mm (with railing)	Extended railing: Yes/No*.
6	Steps specifications	Uniform riser: Yes/No*.Open Riser: Yes/No*.Height of risers: Protruding nosing: Yes/No*.
7	Is the minimum width of the stairs enough?	Todytto .
8	Is the landing space at the top and bottom of the stairs enough?	
9	Are the stair nosing slip-resistant?	
10	Is the location of the stairs clearly identifiable?	
11	Is a handrail installed?	
12	Do the stairs have guide strips?	
K	Slop Ramps	
	Applies to slope ramps Check the following:	State where the slope ramps are located:
1	Are there handrails	Yes/No*. If yes, one/both sides
2	Height of hand rails between 800 and 900 mm from the floor	Yes/No*.Actual height:
3	Are the handrails continuous	Yes/No*.
4	Is there a levelled platform at the top and bottom ramp extending	Levelled platform: Yes/No*.Levelled railing: Yes/No*.

	not less than 300 mm (with railing)						
5	Is the width of the ramp at least 1200 mm	Yes/No*.Actual width:					
6	Ramp landings are provided at regular intervals of not more than 9000 mm of every horizontal run	Yes/No*.Length of horizontal run:					
7	Is an edge protection available	Yes/No*.					
8	Type of flooring used	Specify:					
9	Describe the condition of the flooring	e.g., levelled, tiles popping up, uneven surfaces					
10	Are grafting found in the open area	Yes /No*					
11	Are the gratings covered?	Yes/No*					
12	Are grating placed across the dominant placed across the dominant of travel	Yes/No*					
13	Is the width of spaces found between the grating strips less than 12 mm	Width:					
	General description of accessibility within the premises	Paths to various locations of Attractions are easy and Accessible.					
	premises	Not quite accessible, there are Many obstacles such as					
		Quite accessible but there are Steps (manageable).					
		Inaccessible in most areas. (please specify)					
L	Corridors						
	Is the minimum unobstructed width of the corridor wide enough for wheelchair users?						
	Does the corridor width allow manoeuvring through doors located along its length						

Page No. 62 of 96

Does the comidor have guide strips?	
Is the corridor pathway obstruction-free?	
Any other comments:	
Name of Facilitator(s):	Name of Surveyor(s):

GENDER EQUALITY UNDER SEC 7.1.1

2	Observati	Problems*	Resulting	Remedial	Capital	Projected		
S	on*		losses*	measures*	*	savinas*		
3	Girl	To provide safe and dignified study time by providing health safety						
	children	provisions in the campus.						



Figure 11 - CCTV surveillance

The placement of CCTV surveillance builds confidence among the girl child to perform without fear.

Page No. 63 of 96

The aware that the students are under watch should be made known to avoid any misconduct.

In view of this, couple of cameras should capture the activities in the campus.



Figure 12 - Pad dispenser



Figure 13 - Pad incinerator

The convenience of the health safety arrangements are an added advantage and great moral booster.

It is therefore suggested that the working of the sanitary pad and the incenerator are placed in well ventilated area and are in operation. The cable should be properly channelised to avoid any accidents.



Figure 14 - GREEN PLEDGE TEMPLET.

REDUCE CARBON FOOTPRINT BY CYCLING

9	Observatio	Problems*	Resulting	Remedial	Capital	Projected		
5	n*		losses*	measures*	*	savinas*		
4	Green	To promote green commute within the campus and also outside						
	Commute	the campus.						
5	Green	College has kickstarted an initiative of lab testing the Solar thermal energy (Fresnel concentrating solar)						
	energy							
	concept							

To appreciate, provide well identified dedicated parking space for children cycling to College.

Cycling is usually a <u>low-carbon way to travel</u> – but it depends on what you eat. and it helps you to Reduce Your Carbon Footprint by Cycling.

The UN climate change report warns that we need to reduce our carbon footprint before it's too late. Here's how bike commuting can help.



Page No. 66 of 96

You're probably well aware of cycling's numerous health benefits. But its impact on the planet can make life better and safer for all people, not just individuals aiming for a healthier lifestyle.

That's according to a new report from the UN's Intergovernmental Panel on Climate Change (IPCC). The panel's scientists determined that if the global temperature rises by 1.5°C or more by 2030, the worldwide risk of events like extreme droughts, wildfires, and floods will increase exponentially.

The bad news: If no changes are made, the global temperature could rise by as much as 3°C—double the rate that scientists agree would already be catastrophic. But everyone from governments and large corporations to private citizens can take steps to fight the effects of climate change. The IPCC suggested ways to reduce our carbon footprint—and cycling for transportation is one of them.

One thing that can be done cities planning and implementing complete street policies—things like funding infrastructures. building protected bike lanes, and talking to citizens about what would make them feel safe," Whitaker told Bicycling. By using bike lanes and other infrastructure to better connect neighbourhoods with schools, offices, and shopping centers, she said,



Figure 15 - Reserved for green commute

cities and towns could encourage more people to ditch their cars and bike instead. This is the best way to Reduce Carbon Footprint by Cycling.

Taking the leaf off the Harvard university, We suggest that the concept of commute to work be explored. We present the link to understand how the Harvard university encourages and practices.

https://green.harvard.edu/tools-resources/how/10-tips-harvards-bike-commutingpros

Although the formation of the ruels is out of the purview of the College management, It can initiate a self imposed action plan to set an example and draw the attention of the law makers. We suggest the ECO-CLUB to explore the possibilities and say no to NO-VEHICLES at least three days in a week.

USE OF NATURAL RESOURCES:

The institute has taken good initiatives in incorporating various measures to adopt to new technologies available.

The institute has started use of LED lights. At places where they are not in use, they are planed to be replaced by LED lights as and when they fuse out.

We suggest that the LED replacement project be takenup immediately to put the solar energy into good use.

When replacing the LED lights care should be taken to prevent LIGHT Pollution.

Light pollution is the presence of anthropogenic and artificial light in the day or night environment. It is exacerbated by excessive, misdirected or obtrusive use of light, but even carefully used light fundamentally alters natural conditions.

Light pollution is caused by inefficient or unnecessary use of artificial light. Specific categories of light pollution include light trespass, over-illumination, glare, light clutter, and skyglow. A single offending light source often falls into more than one of these categories.

Every day, people are exposed to hours of artificial light from computers, office lights and even 24-hour lighting in hospitals.

Page No. 68 of 96

Now, new research in animals shows that excessive exposure to "light pollution" might be worse for you than previously known, taking a toll on muscles and bones. Researchers at Leiden University Medical Center in the Netherlands tracked the health of rats exposed to six months of continuous light compared with a control group of rats living under normal conditions – 12 hours of light, followed by 12 hours of dark.

During the study, reported in Current Biology, the rats exposed to continuous light had less muscle strength and showed signs of early-stage osteoporosis. They also got fatter, and some markers of immune system health worsened.

While earlier research found excessive light exposure might affect cognition, the new research showed a surprising effect on muscles and bones.

"Not only did motor performance go down on tests, but the muscles themselves just atrophied, and mice physically became weaker after just two months," said Chris Colwell, a sleep specialist at the University of California-Los Angeles, who was not involved with the study.

The good news is the effects of light exposure appear to be reversible. When the study rats returned to their natural light-dark cycle, their health returned to normal after two weeks.

The data suggest more research is needed into the health effects of artificial light. One concern is the health of patients in hospital intensive care units, people in nursing homes and babies in neonatal units — places where artificial lights often are kept on for 24 hours a day.

"We keep the sickest people in our society under constant light conditions," Colwell said.

The research also might have implications for people exposed to the blue wavelength light emitted from computers, which might be more disruptive to the body than the light that comes from traditional artificial lights.

SAFETY AND ACCIDENT PREVENTION METHODOLOGIES.

Electrical Safety:



Figure 16 - PPE kit for hazardous tasks

Human safety is the topmost priority in all our aspirations. Electrical infrastructure drives all our aspirations. When quality work is to be delivered all the support mechanism should be in good operating condition. For the system to be in good operating condition, we need to follow certain the regulatpory bodies.

The campus lacks this vital fact. We have discussed the situation with site photos. We have also given solutions where necessary. Before we proceed, it is important for all the stake holders to understand few key aspects and why these standards have been specified.

ACCESSIBILITY: Electrical hazards are among the most common safety hazards found during compliance, occupational safety and health inspections. Electrical systems in the workplace should have mechanisms in place to protect employees from injury. However, these systems must be maintained properly in order to be effective. Electrical panels are the primary units that control the flow of electricity to different parts of an office or building equipment. Each connection on the panel has a switch that can stop the flow of current to specific electrical circuits and appliances.

If an employee receives an electrical shock, shutting down the source of power may be the only safe method to stop the electrical current. OSHA requires enough

Page No. 70 of 96

access and working spaces around all electrical equipment, or panels, serving 600

volts or less. 29 CFR 1910.303(g). For equipment operating at 600 volts, nominal or less to ground, electrical panels must have a minimum of three feet of clearance in front of the panel and a minimum clearance width of 2.5 feet or the width of the equipment, whichever is greater. This assures that in case of an electrical emergency, there is a clear working space in front of the panel for quick access to the circuit breakers.



Figure 17 - Electrical safety mats

Electrical panels should also have secure covers to ensure no wires are exposed that could cause electrical shock. This also prevents the internal mechanisms from being exposed to dust, dirt, and moisture. Electrical panel boxes in commercial buildings should be secured and accessible by trained personnel only.

It is important that these trained electrical staff be provided with appropriate PPE ie Personal Protective Equipment's for safe handling of these devices. We have shown few of the PPE's which need to be provided in all sizes so that every staff is well protected.

The floor of the electrical room housing the panel boards are not covered with Insulated rubber mat. It is important to have them in place to avoid accidental electrocution.

REFERENCES

IEEE standard 1100-2005: Recommended practice for power and grounding sensitive electronic equipment.

Page No. 71 of 96

IEEE standard 518-1982: Guide for installation of electrical equipment to minimize noise inputs to controllers from external sources.

Note: IEEE now has withdrawn this standard.

IEEE standard 142-1991: Recommended practices for grounding of industrial and commercial power systems.

IEEE standard 81-1983 and 81.2-1991: Guide for measuring earth resistivity, ground impedance, and earth surface potentials of a ground system.

NFPA-78 Lightning Protection Code 1986, Quincy, Massachusetts: National Fire Protection Association, 1986.

Fire SAFETY: The fire extinguishers should be placed at the entrance of the room housing dangerous devices. So that, they are handy when need to be used.



Figure 18 - Placement of Fire extinguesher.

It is also important that the handling instructions are predominantly displayed.

The sample poster is reproduced for replication.



Figure 19 - Fire extinguisher usage templete

Page No. 72 of 96

	CLASS A	CLASS B	CLASS C	CLASS D	Electrical	CLASS F		
Туре	Combustible materials (e.g. paper & wood)	Flammable liquids (e.g. paint & petrol)	Flammable gases (e.g. butane and methane)	Flammable metals (e.g. lithium & potassium)	Electrical equipment (e.g. computers & generators)	Deep fat fryers (e.g. chip pans)	Comments	
Walter	~	×	X	X	×	X	Do not use on liquid or electric fires	In co
Foam	~	~	×	×	×	×	Not suited to domestic use	C-0-21K 3*
Dry Powder	~	V	~	1	~	×	Can be used safely up to 1000 volts	
CO2	×	\	×	×	~	×	Safe on both high and low voltage	
Wet Chemical	~	×	×	X	X	/	Use on extremely high temperatures	

Figure 20 - types of extinguishers and Applications.

appropriate Fire extinguishers should be placed at the entrance but outside the room. The details of such classified Extinguishers is indicated for reference.




Figure 21 - Know your fire extinguisher

DISPOSAL OF USED BATTERIES

200 10	Observati on*	Problems*	Resulting benefits*	Remedial measures*	Capital	Projected savings*
	Battery manage ment	Battery dispo	osal procrastii	nation by follov	ving restora	tion methoc

In compliance with - Category 7.1.1, 7.1.2, 7.1.3 and 7.1.5

The procrastination of used batteries after the fixed life span of 4-5 years by proper handling, checks and restoration methods.

BATTERY PLACEMENT:



Figure 22 - Battery placement

The batteries disposal is an environment threat. The lead which is a major component has serious adverse effects. The acidic fumes damage the electronic components and when disposed to environment through uncertified local ragpickers either as scrap or buyback option, the institute stands to be morally responsible to such environmental pollution.

Hence the disposal of the batteries should be prolonged. This is possible by putting into use the Battery regenerative system

However, much before the regeneration It is good practice to make room for cross ventilation for the batteries to be placed in cool place.

The benefits include -

In normal operating mode, the batteries are known to last for 5 to 6 years.

With good working practice, they would last for almost three times the life.

Prolonged life of the Batteries.

Avoids acid fumes accumulation on the Batteries.

Increased life of all electronic gadgets around the Battery bank.

Delayed discarding of the Batteries avoids environment pollution and Revenue outflow for the organisation.

WE suggest to regenerate the batteries once every 3 years, so that the sulfur lining is minimized. If the regeneration is executed once every three years, we can regain the working performance to 95 to 98% of its original status.

However, this needs to be backed up with necessary periodical check with the density of the battery solution.

BATTERY MANAGEMENT:

The batteries breath acid fumes. It is good practice to make room for cross ventilation for the batteries to be placed in cool place.

The benefits include -

Prolonged life of the Batteries.

Avoids acid fumes accumulation on the Batteries.

Increased life of all electronic gadgets around the Battery bank.

Delayed discarding of the Batteries avoids environment pollution and Revenue outflow for the organisation.

All batteries should be placed in well ventilated area. As battery disposal is turning out to be a serious issue, ways to prolong the life of the batteries is very important from the environmental point and also from the Financial implications.

We will discuss the regenerative system of used and week batteries to enhance the life. It is important to know few points on handling of batteries.

BU-703: Health Concerns with Batteries

Page No. 75 of 96

Become familiar with the do's and don'ts when handling batteries.

Batteries are safe, but caution is necessary when touching damaged cells and when handling lead acid systems that have access to lead and sulfuric acid. Several countries label lead acid as hazardous material, and rightly so. Lead can be a health hazard if not properly handled.

IEAD

Lead is a toxic metal that can enter the body by inhalation of lead dust or ingestion when touching the mouth with lead-contaminated hands. If leaked onto the ground, acid and lead particles contaminate the soil and become airborne when dry. Children and foetuses of pregnant women are most vulnerable to lead exposure because their bodies are developing. Excessive levels of lead can affect a child's growth, cause brain damage, harm kidneys, impair hearing and induce behavioural problems. In adults, lead can cause memory loss and lower the ability to concentrate, as well as harm the reproductive system. Lead is also known to cause high blood pressure, nerve disorders, and muscle and joint pain. Researchers speculate that Ludwig van Beethoven became ill and died because of lead poisoning.

By 2017, members of the International Lead Association (ILA) want to keep the lead blood level of workers in mining, smelting, refining and recycling below 30 micrograms per decilitre (30µg/dl). In 2014, the average participating employee checked in at 15.6µg/dl, but 4.8 percent were above 30µg/dl. (Source Batteries & Energy Storage Technology, Summer 2015.)

In 2019, the University of Southern California published the detection of lead in teeth of children living near the Exide Technologies battery recycling plant in Vernon, California.

Lead occurs naturally in soil at 15–40mg/kg level. This level can increase multi-fold near lead battery manufacturing and recycling plants. Soil levels in developing countries, including on the continent of Africa, recorded lead contamination levels of 40–140,000mg/kg. (See <u>BU-705</u>: How to Recycle Batteries.)

Page No. 76 of 96

Sulfuric Acid The sulfuric acid in a lead acid battery is highly corrosive and is more harmful than acids used in most other battery systems. Contact with eye can cause permanent blindness; swallowing damages internal organs that can lead to death. First aid treatment calls for flushing the skin for 10–15 minutes with large amounts of water to cool the affected tissue and to prevent secondary damage. Immediately remove contaminated clothing and thoroughly wash the underlying skin. Always wear protective equipment when handling sulfuric acid.

CADMIUM

Cadmium used in nickel-cadmium batteries is considered more harmful than lead if ingested. Workers at NiCd manufacturing plants in Japan have been experiencing health problems from prolonged exposure to the metal, and governments have banned disposal of nickel-cadmium batteries in landfills. The soft, whitish metal that occurs naturally in the soil can damage kidneys. Cadmium can be absorbed through the skin by touching a spilled battery. Since most NiCd batteries are sealed, there are no health risks in handling intact cells; caution is required when working with open Nickel-metal-hydride is considered non-toxic and the only concern is the electrolyte. Although toxic to plants, nickel is not harmful to humans. Lithium-ion is also benign — the battery contains little toxic material. Nevertheless, caution is required when working with a damaged battery. When handling a spilled battery, do not touch your mouth, nose or eyes. Wash your hands thoroughly.

Keep small batteries out of children's reach. Children younger than four are the most likely to swallow batteries, and the most common types that are ingested are button cells. Each year in the United States alone, more than 2,800 children are treated in emergency rooms for swallowing button batteries. According to a 2015 report, serious injuries and deaths from swallowing batteries have increased ninefold in the last decade. The battery often gets stuck in the oesophagus (the tube that passes food). Water or saliva creates an electrical current that can trigger a chemical reaction producing hydroxide, a caustic ion that causes serious burns to

the surrounding tissue. Doctors often misdiagnose the symptoms, which can reveal themselves as fever, vomiting, poor appetite and weariness. Batteries that make it through the oesophagus often move through the digestive tract with little or no lasting damage. The advice to a parent is to choose safe toys and to keep small batteries away from young children.

SAFETY TIPS

Keep button batteries out of sight and reach of children. Remote controls, singing greeting cards, watches, hearing aids, thermometers, toys and electric keys may

Similar to pharmaceutical products, keep loose batteries locked away to prevent access by small children.

Communicate the danger of swallowing button batteries with your children, as well as caregivers, friends, family members and babysitters.

If you suspect your child has ingested a battery, go to the hospital immediately. Wait for a medical assessment before allowing the child to eat and drink.

Ventilation

Charging batteries in living quarters should be safe, and this also applies to lead acid. Ventilate the area regularly as you would a kitchen when cooking. Lead acid produces some hydrogen gas but the amount is minimal when charged correctly. Hydrogen gas becomes explosive at a concentration of 4 percent. This would only be achieved if large lead acid batteries were charged in a sealed room.

Over-charging a lead acid battery can produce hydrogen sulphide. The gas is colourless, very poisonous, flammable and has the odour of rotten eggs. Hydrogen sulphide also occurs naturally during the breakdown of organic matter in swamps and sewers; it is present in volcanic gases, natural gas and some well waters. Being heavier than air, the gas accumulates at the bottom of poorly ventilated spaces. Although noticeable at first, the sense of smell deadens the sensation with time and potential victims may be unaware of its presence.

Page No. 78 of 96

As a simple guideline, hydrogen sulphide becomes harmful to human life if the odour is noticeable. Turn off the charger, vent the facility and stay outside until the odour disappears. Other gases that can develop during charging and the operations of lead acid batteries are arsine (arsenic hydride, AsH₃) and (antimony hydride, SbH₃). Although the levels of these metal hydrides stay well below the occupational exposure limits, they are a reminder to provide adequate ventilation.

REGENERATION OF WEEK BATTERIES FOR THE NEW LEASE OF LIFE.

Significance...

- The early regeneration results into second tenure of the batteries i.e. another term of 3 to 5 years as per Battery specifications.
- Optimised energy consumption. Thus, reduced cost of operation.
- Delayed disposal results into elimination of environment pollution.

Reduced impact on CARBON FOOTPRINTBATTERY MANAGEMENT:

All batteries should be placed in well ventilated area. As battery disposal is turning out to be a serious issue, ways to prolong the life of the batteries is very important from the environmental point and also from the Financial implications.

We will discuss the regenerative system of used and week batteries to enhance the life. It is important to know few points on handling of batteries.

SOLUTION: The placement of batteries needs to be at the place very close to cross ventilation, if possible, in open but shaded place. The following clippings are explained.

WORK CULTURE:

Sr No	Observati on*	Problems*	Resulting benefits*	Remedial measures*	Capital	Projected savings"
7	Work culture	Self- imposed discipline brings out the best results. Avoids accidents, saves time.	Dirty used packages in and around the college	Incorporate need for cleanliness and place waste collection bins.	Rs.4500 /- per set	Reduced cleaning hours and good hygienic conditions.

Cultural Responsibility (CR) is an attitude that should affect economic behavior by making it more respectful of the symbolic worlds of individuals and communities. Thus, conditions can be established that allow everyone a shot at happiness. Furthermore, CR is an implication of CSR (Corporate Social Responsibility), because it refers to one of the three aspects of the triple bottom line of CSR: people. As a consequence, the practice of CSR forces organizations to look after economic growth through the satisfaction of social needs, environmental protection and cultural requirements. CR has to be translated into standards of conduct and values, the main ones being humanity and reciprocity. These values must be respected by all organizations and they need to be taught in schools from an early age.

CR combines the words "culture" and "responsibility". According to Hans Jonas responsibility is

 The ethical duty to care about present and future generations, to respect human beings and their integrity. Culture, in its anthropological sense, looks at man as a system of beliefs, symbols, imagination and rationality that

Page No. 80 of 96

- allows the individual to represent the world around him in a continuous social interaction with other individuals.
- According to Clifford Geertz, man builds his symbolic worlds within the social circles in which he is embodied, and culture is a web of meanings woven by men. This statement leads us to reflect, on one hand, on cultural capital, that is, according to Pierre Bourdieu, all that is acquired through different contexts of socialization, and, on the other hand, on intangible cultural heritage, i.e. everything that communities, groups and individuals recognize as part of their cultural heritage and it is constantly modified through their relationships with the physical world, the culture that precedes them and the practice of life.

CR is a respectful attitude towards different cultural expressions within a society characterized by globalization and the spread of knowledge-based economy, both of which offer new opportunities but also have unclear implications. That is what happens, for example, with the definitions of cultural and creative industries in many studies.

As we learn, the Europeans have, as their main goal, the promotion of economic growth by creating new jobs and fostering cultural tourism and cities of art with the aim of realizing the Lisbon Strategy (an action and development plan devised in 2000) and making the most competitive and dynamic knowledge-based economy in the world. Therefore, they contribute to the process of a sort of "aesthetisation" or "spectacularization of life", an environment where human relationships are mediated by images. In this "society of spectacle", according to Walter Benjamin, masses want to satisfy their own needs to be socially recognized, and culture is reduced to a commodity, justifying the supremacy of "profit" and the power of huge corporations. Cultural industries are mainly interested in short-term environmental and economic impacts, at the expense of long-term social and cultural ones. These include the impact on life-styles, habits, cultural expressions, and the active involvement of the people living in the contexts in which cultural

Page No. 81 of 96

of social needs and cultural requirements.

The modern social context is also characterized by the spread of Corporate Social Responsibility (CSR), a form of self-regulation where the enterprise decides to take responsibility for the consequences of its behaviour. A culturally responsible attitude has much in common with what is suggested by CSR: the attention to human capital, the stakeholders involvement, active citizenship and the concept of sustainable development, which is strictly connected with that of responsibility.

Sustainable development looks at development as a human-centred and not as a commodity-centred process. According to Amartya Sen, it is a "human capability expansion", i.e. an enhancement of the capacities of people to live the sort of life they decide, including their access to cultural resources and cultural participation. It requires the removal of major sources of lack of freedom, often caused by social and economic inequalities. Development is not only economic growth but also cultural growth. It has its roots in cultural diversity: it asks for all cultures to be respected and for there to be the principle of cultural freedom in a democratic context. It is stated in the UNESCO Universal Declaration on Cultural Diversity (2001): "cultural diversity is a necessary for humankind as biodiversity is for nature (...) it is one of the roots of development, understood not simply in terms of economic growth, but also as a means to achieve a more satisfactory intellectual, emotional, moral and spiritual existence". After economic growth, environmental balance and social inclusion, cultural diversity could be seen as the fourth pillar of sustainable development. Thought of in this way, culture could be a means to promote social cohesion and inclusion.

Placement of footwear: Placing of footwear is a typical example. Our work culture is depicted in the way we behave and exhibit.

Value for all commodities is important to conserve the mother earth. Hence the placement of material of use/substance/importance should find appropriate

Page No. 82 of 96

placing. The passage should be clear from all obstacles weather small or large. Here the placement of footwear is only an example. One needs to practice and exhibit in all sectors, be it waste or unused materials or the vehicles parked in wrong place.



Figure 23 - Footwear placement




Figure 24 - Place for personal baggage

The other example is the vehicle parking.

City has seen very high traffic growth and the vehicle parking is a burning issue. Children exhibit what they learn at home and educational institutions.

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 83 of 96

Today's crisis of vehicular movement is mainly due to erratic parking of vehicles at every space one finds it. It may also be known that; the majority of the lives are lost due to road accidents caused by rough driving.

It is seen from the college campus that the need for disciplined parking and vehicle movement is necessary step to be initiated.

To build-up sense of responsible citizenship, The management should educate the children and the staff in following traffic rules and parking in its designated location. The illustrations below set the way forward.

Culture

It is important to consider the factors that can disturb others behaviour. Few factors the college can consider to bring in change in are

The images shown below are for illustration only and are not captured in the campus. (Kindly see the gallery for campus related photos)

PARKING:

Random parking, be it two-wheeler or the four/six wheelers. We often see randomly parked. It is important that all the vehicles are parked in specified areas in such a way that one need not struggle to move out of the place.

should Educational institutes inculcate these basic best practices so that the three to five years of their college days, the student learn the




sense of social responsibility. There behavioural culture makes a positive change when they walk out and behave responsibly. It is a matter of pride for the college too, to speak and practice best practices.

SUGGESTION:

We suggest that the parking space be marked with borders so that the staff and students park the vehicles at the designated space.

The image shown on the right, gives an indication for good parking.





The beautiful structures planed by the administrators and built by the management clearly indicate that they are concerned about the environment and are committed to deliver good sense of civic discipline and knowingly or unknowingly are exhaling the process of heading towards **ZERO CARBON FOOTPRINT**.

Page No. 85 of 96

With the infrastructure is in place, the staff are inclined to perform, there is nothing that can stop from achieving the required.

The designated staff be trained in understanding the needs and allowed to test their innovative skills to move towards green practices will accelerate the process of green revolution.

PAPERLESS OFFICE:

9	Observati	Problems*	Resulting	Remedial	Capital	Projected		
Sr	on*		losses*	measures*	*	savinas*		
	Paperless	On considering the present scenario, it is advised to communicate						
8	office.	with No-Contact and safe distance method. This is possible under						
		Paperless office method.						

In the present working conditions, transmission of infection has become vital and to address the issue, we can consider to accept digital documentation process. It has also been now legalized in accepting all such documents and a step towards paperless office is the next office administration process. We have discussed few aspects in the article presented below. For more details, the link provided at the end may be browsed.

With due credit to the authors This article can be downloaded using the link https://www.ijeat.org/wp-content/uploads/papers/v8i4/D6268048419.pdf

International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 - 8958, Volume-8 Issue-4, April 2019

Paperless Administration in Indian Higher Education

Srimathi H, Krishnamoorthy A

4hstruct: The Higher Education sector in India is witnessing massive and exponential growth in terms of number of students and institutions. The procedures associated with the academic processes such as admission, teaching, examination and supp services have also grown manifold. Institutions, irrespective of the size and scale, can practice better paperless administration using content ecosystem and digital tools. Both government and lutions make use of digital communication and customized applications. However, the over-dependence on paper in data processing is still a continued practice which necessitates the maintenance of volumes of physical documents by administrative and academic departments that many times leads to delays in responses. The ideal scenario of a paperless learning environment may not be feasible in reality but the extents of paper usages can be brought down drastically to minimum levels with peoper knowledge of information life cycle. The digitization with complete e-governance ensures paperless administration process. institutions are having improbable idea to process ction and reducing paper consumption. This paper analyses the practices and methods in vogue that minimize usage of paper - based system and explores the feasibilities of interdependent work flow automation to make it better.

Index Terms: Admission, Paperless, Digital India Initiative, ECM, ERP

1. INTRODUCTION

Though computers are extensively used in universities, the administration process is paper based. The digitization of information content is easy, but there is no clie to proceed further with respect to application integration, control over scattered electronic documents, smooth information flow between departments, consistency and de-duplication, where the Enterprise Content Management (ECM) system provides solution to this. According to (Gartner, 2003), ECM refers all type of enterprise content and a bundle of software products which manage the entire content life cycle (AIIM, 2010a) further extends I CM definition as "the strategies, methods and tools used to capture, manage, store, preserve and deliver content and documents related to organizational processes including instructured information. ECM reduces burden of toggle between different Enterprise Resource Planning (ERP) applications, Customer Relationship Management (CRM). Learning Management System (LMS) and physical documents for decision support. The main challenge is in

Revised Manuscript Received on April 10 ,2019

Neimathi H. Assalant Director, Directorate of Adminions, NRM Institute of Science & Technology, Chemia, Inda.

Krishnamowthy A Associate Data. Elf., SEEL SANTRA Decread.

Inversity Thomasur, India.

both structured and unstructured data formats as the activities are interlinked in nature as given in Figure 1. The research is motivated by the growing amount of Government initiatives with Digital India movement and technological implementation in higher education institutions to serve students of digital erg. The study examines and evaluates the existing paper process; and workflow which will result in the implementation of electronic solutions. The need of best practices in information exchange, system complying with recordkeeping laws and information security managements is also highlighted.

creating well-defined document flow since the process deals




Figure 1 Educational Technology services deal with different content format

II. GOVERNMENT INITIATIVES

Department of Electronics and Information Technology (DeilY). Government of India is taking significant steps towards Digital India program and the same is supported and extended by Ministry of Human Resource Development (MHRD). Accreditation bodies and higher education councils. The announcements, notices, circulars and other communications from apex bodies to respective institutions are shared via email and hosted in website for quick reference All India Council for Technical Education (AICTL) insists institutions to upload the approval documents of technical and management programme. University Grants Commission (UGC) accepts online submission for course approvals and institute affiliations in Distance Education, where it continues the hard copy submission for other programmes and affiliations. The online

submission and electronic form (E-form) upload can

Reviewed humber DB28894819 19CBEHSP

flive Eves Intelligence I agmeeting A Searners Publication

Paperless Administration in Indian Higher Education

extended and practiced by UGC and all other statutory professional councils. The E-Form is used in self-study report of accreditation bodies such as National Assessment and Accreditation Council (NAAC) and National Board of Accreditation (NBA). The supporting documents are also to he submitted in the form of scanned digital documents.

The digital submission and facility of system decision support system on various parameters helps the accreditation bodies to scale up their reach and serve as pre-qualifier to plan evaluation. (MHRD, 2017) MHRD has adopted digital technology for information transmission under National Massion on Education through Information Communication Technology (NMEICT):

- · Know your college portal for students
- · National Program on Technology Enabled Learning (NPTEL) Indian Institute of Technology lans promoted Massive Open Online Courses (MOOC) with edX platform (a digital initiative of MIT and Harvard University) to offer quality education from the best tenchers to Indian students and ensure the improvement of individual academic performance
- Educational satellite (EDUSAT) to home platforms
- A-View as multimedia platform for video delivery
- Virtual Labs helps in establishing remote access of lab experiments in various disciplines of science and enumeeons!
- E-Yantru (next generation embedded system), Table lin teachers. Spoken tutorial and free open source softwaru to be used for academic purpose
- Data collection in data capture format (DCF) in annual All India survey on Higher Education (AISHE) and National Institute Ranking Framework (NIRF). The structured DCT used in data collection fasten the computation of Gross Enrollment ratio (GER) of higher education and useful to other statistical analysis
- Library Resources. As a part of Universal Digital Library Institutive, the digital library India has scanned books written on English and Indian language (Balakrishnan et al. 2006) The project fosters several research activities such as language technologies in text summarization, machine translation, hand writing recognition, optical character recognition etc.
- Digil.ocker facility: There are several school boards made their board result certificates digital and this enable the institutions to verify the scores. This will ease the merit list preparation of educational institutions in admission process, when the service is utilized by all boards of school education. As admission application went online, the digital verification of certificates minimizes the submission of hard copy submission of grade sheets and time taken for manual certificate venfication as happened in case of Tamil Nadu Engineering Counseling 2018

(UGC, 2017) UGC has also taken significant digital initiatives at its end and also through Information Library Network (INFLIBNET) as listed in Table 1

III. AT INSTITUTION LEVEL

Apart from Government directives, institutions realized that the millennial students are technology oriented and demanding quick response on rendered services. The computerized business systems improve administrative efficiency and reduce a toll on management and faculty to process paper documents on students, courses and exams

Table 1 List of digital initiatives of UGC and INFLIBNET

Citics approveration	Note franci management in cress
- Greenance	December of the contract of th
Don't herefoliassin	Tid manters to a costs secretar
legaci-efter velope	beinguist pota lix planning feature conduction.
Academic sobportal	National students' deposition (NAD) many restricts
SOC ST miles	Online courses VEALAND Active learning platform.
Pality general portal	12G pathibala For godiero progressor
Student per sturgottal	Sudgesp data record of burnario
exchising avail 4 potal	a Bedlindu acres is counti, a toria
Assistant notice for	Trabut - make steam caralog of bibliographic fails
Deportui dicabase of user materi.	Soul State of an empated Library Management
ST ALASPEARA ME thereof	SOS To Locard Management forten

Universities incorporated electronic communication process for any kind of communication, upload the same on website and sends individual institution approval letter through email (VTU, 2018) One of the universities hopes to gradually move towards a less paper and paperless office. since it serves digital communication to more than 200 affiliated colleges under its control

(ePrayesh, 2015) Considering the Indian youth population who aspires to tertiary education, the 'go online' in admission process reduces the paper usage. In addition, it helps to minimize problems related to overlapping counseling dates and in turn reduce physical mental financial burden of candidates due to multiplicity and transportation. The counseling process of engineering, medical and other professional courses are carried out online. Most of the entrance examination, application submissions and counseling are made online. As the medical entrance is mandate for admission throughout India, the strength of students who appear for medical entrance is increased and council planned to conduct medical entrance through online from year 2019

(SRM, 2016) One of the biggest private institutions made its student course registration and support services as online for its fully flexible credit system, where the students have the liberty to choose course of study and select faculty members. Students receive individualized time table upon completion of registration. The students are serviced with quick response on cloud and eliminated to shuttle from one office to another for processing paper documents.

(Mindlogix, 2016) There are quite a few universities adopted paperless exam and digital evaluation system. The first initiative was sending question paper online through a digital secure network and affiliated colleges download the same, take sufficient printout and distribute. In the next level, the answer scripts are scanned and sent to examiners for evaluation in the paperless exam, the students will get

question paper on their computer screens, which avoid question paper leak and

Remarks Number D6268048439 19038E1ESF

Published Bi

761 Blue Ever Intelligence Engineering A Sciences Publication

International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 - 8958, Volume-8 Issue-4, April 2019

printing & dispatch of answer scripts. The technological advancement in digital exams permit candidates to write examon flexible Tab devices, automatic dummy number allocation, quick process of multiple and re-evaluation processes. samplify the review of evaluated answer scripts and result processing with dishboard analytics

(Kaushik, 2015) The university libraries are extended to do innovative e-resource services using technology such as (SPAC search facility for both print and e-books of different publishers with links to full texts, digital scanning facility host vide lectures and archive, online question bank. coordinate with MOOC initiatives, online reservation and renewal of books, indexing & abstracting services usage of Wich 2 it tools to disseminate new arrivals, maintain e-dissertations and subscribe e-journals. The digital libraries also face few challenges like archival of resource, longevity of storage media removal of obsolete information to speed up the search process, deal copyright issues and intellectual property of resources and Universal access to knowledge and maintenance

(NDTV 2017) In accomplishing the government's challenging task of shifting India from cash dependent to a less cash-reliant economy, UGC issued an advisory to adopt online payment methods for tustion fees, exam fees, vendor payments, salary wages and other campus services. All shops and vendors in institution premises including photocopier services, canteen and cooperative shops have adopted different mode of cashless transactions. In addition, all these shops come equipped with point of sale machines. One of the institutions has introduced smart cards to the students to buy food from cameen and shops in campus premises. The money is deposited by the parents online

(Chronicle, 2018) Despite the digital initiatives of apex body in central and state governments and higher educational institutions own mission on implementing automation, there are institutions who could not achieve desired result in paperless office. The sample conversion of paper based activities to e-form will not be sufficient. The strong domain expertise with business process workflow interconnectivity of data must be required. This necessitated knowledge on both ECM guidelines and Higher education administration

IV. CHALLENGES IN ACHIEVING PAPERI ESS

(LaMonte, 2016) indicates that the paper process still dominate in the office administration and increased the challenge on digital transformation. The mere implementation of ECM tools may not be sufficient, the performance to be measured for removing paper from operational processes in terms of response time collaboration, back-office cost and compliance regulation to be focused as LCM is a process defined & utilized by stakeholder. (Larrivec et al., 2016) survey reveals organization perception (P1 to P5), operation (O) to O5) and need (N) to N5) on ECM implementation as shown in the Figure 2

The initial budget on technology investment may be high in paperless, but the paper based operations are costly in terms of back-office operation with duplication and silved information. The main difficulties of LCM implementation are listed in the order as follows: re-orienting staff, integration with existing system, define process with clarity and making a business case, convincing legal compliance and dealing exceptions (Genesis et al., 2018) The paperless higher education mission is affected by organizational cultural change, re-orienting staff, integration with existing system, verbatiin implementation of traditional workflow, lack of network connectivity & power supply in rural area and overdependence on consultants. (Isaeva et al., 2016) The goal of developing ECM is to overcome the listed challenges and to make the system more transparent with efficient service integration



Figure 2. Organization.view on ECM implementation Source Larrivee et al., 2016)

VACMGUIDELINES

(SUMS, 2017) As it is easy to create and repurpose digital documents over paper documents, a number of questions need to be answered prior to implementation

- · (SoftCo, 2016) storing as document as opposed to store
- · (AIIM,2010b)Assess the functional gap in content management, integration of business application & link to database and document system with its affordability
- · (Hullavarad et al., 2015) Version control to avoid duplication and inconsistency especially in concurrent accesses.
- (Katuu, 2012, eCoV-PID, 2013) Fully automated retention rules of those records & documents, Compliance with Institutional governance & Record and Document retention policies
- (eSAFE,2010) Security impact & third party access.
- (Nordheim et al., 2004) Balancing user expectations and policies of information governance in customization
- (Cognizant, 2014) Technical viability of current future content tools with ECM architecture

(DTCA, 2014) The ECM reference architecture framework given in Figure 3 answers all the listed questions and provides services beyond the expectations. Apart from content capture & delivery of both human created and application created

manage document, web content.

information, I CM is designed to forms, records, digital assets of

Reviews Sumber Distributed to 190 BEIEST

Fuhlished B. Blue Lors Intelligence Engineering A hayman Patria union

Paperless Administration in Indian Higher Education

rich media conient, multi-format content repositories business flow, preservation policies and development tools of workflow, taxonomy, forms template and content authoring The core content services include indexing, searching, digital rights, security, collaboration, approvals, digital signature and etc. (Alawan et al., 2014) Thus the properly implemented LCM positively influences on speed of problem identification and decision quality. In addition, it ensures centralized control with local flexibility that helps higher educational institutions to provide better services



Figure 3 ECM Reference Architecture Framework (Source: DTCA, 2014)

VL. AREAS TO GO PAPERLESS

(AACRAO, 2016) Education sector is one of the important industries which not only creates and maintains large amount of information but also in the need of secured storage access and efficient business process. The functions of higher education system are segmented based on the nature of information impact, stakeholder's presence and kind of ECM implementation. The high impact business information which involves strategic decision on approvals and permanent preservation are grouped and listed in Table 2. The lack on preserving high impact strategic documents creates sever administration issues. The process flow of admission with both paperless and paper-based options is listed in Table 3, where the technology usage in every stage improves response in admission process.

The online admission process will enable the distributed target audience across the country and attract International students. The required LCM guidelines on academic, accounts and support services are briefed in Figure 4 Effective university websites speak clearly, even to yet-to-be students, and make it understandable by all. Table 4 provides guidelines on web content creation - maintenance

Table 2 ECM guidelines for high impact Enterprise Content

With the control of t	Find particles of a general secretion and seal feet from the large of the secretion of the
A control region from the A framework To receive the first product of the control The control of the control the	The control of the co
1 Even over par proper	4

Table 3 Admission




Figure 4 ECM guidelines in Academic, Accounts and support services

Table 3 ECM Web guidelines & Best practices on Web Content

- Employ Ven Georgeson Board to set the direction and pointers, where the property of the property
- purhism again Web Accembiles biasidad Combilion to optimize the aspect of met-
- Course of content of superior papers published notion the numbers domine (or extension school for all or action).
- One the colors to begin andones with quick new rather than englished prospects students, present remost students, faculty, and primary prospective explained press at students, present remost students, faculty, and primary prospective explained pressure.
- To an append valve classes to positive two a vir attendance. Page about 1 minute over motiva elementus page to liabitat. Deplacement menglate to Receiveds. Mushes autorements. Carest guidance freques actives a compared to interest Ampie 1 minute 1 minute
- this current contemporary tool for our publishing impacially pages with the
- Audit web suprest prior is publishing. Partiess matrice strong to enquery.



761

Retrieval Number D6.768048419 19CREIESP

Blue free Intelligence Eng Sciences Publication

International Journal of Engineering and Advanced Technology (IJEAT) 185 N: 2249 - 8958. Volume-8 Issue-4, April 2019

VII. CONCLUSION

(AISHE, 2018) In India, there are 903 universities, 9050 college and 10011 stand alone institutions as on date with cumulative ciroliment of 36.6 million. Implementing paperless in simple office communication itself makes great change in cost cutting on paper usage and move towards green imitative. The research covered the government initiatives on digitization and the prospects of paperless in higher education academic, administration, research and support services. The present disintegrated stand alone applications paper based services to be integrated using ECM reference architecture with reference to capture storage security access & deliver compliance. The institutions need to understand the importance of managing content life cycle from creation to final disposition. The study recommends the institution to investigate their present operation, future need, scale up with short mid long term plan of action in ECM implementation in turn make the administration go paperless. This helps in enhancing the communication, student experience, student support services and creating a campus with technology excellence

REFERENCES

- AACRAO, 2016. The impact of Electronic Content Management ECM) system Ownership on Student Records Management Practice
- AIM 2010s. What is Enterprise Content Managerical, help www.neuri.org/What is FCM Enterprise Content Managerismi. asps, accessed on April 10,2011
- AllM. 2010b. Comecting ERP and ECM. Measuring the benefits. http://www.anm.org/Connecting/ERP and Et M Measuring the Bene fits aspx. accessed on April 10,2011
- AISHE, 2018. All India Survey on Higher Education, 2017-20. Construment of Irada MIRD, Department of Higher Education,
- Alawan J.A. Thomas, M.A. 2014, Decision Support Capabilities of Enterprise Content Management Systems. An Empirical Investigation http://scholarscompany.veu.edu.colo/pubs/1
- Balakrishnan N Reddy R Ganapthirage, M Ambati, V (2006). Degital Library of India. TCDL Bulletin, Volume 3 Israe 1
- ZOTN https://www.contralchrona.le.com Chromoic Central paperless university project still remains on paper himi accessed on August 1 2018
- Cognizate 2014 Architocong as Enterprise Content Management Strategy A Lour Pillar Approach, Cognizant Technologies
- Digillocker, 2018 https://digillocker.gov.or/referred/on/August 2/2018 DTCA, 2014 Enterprise Content Management Reference Architecture, Cabifornia Enterprise Architecture Framework Department of Technology California
- 2011, g Carvernance OPT YOUR AL Information Documentation totally PIDs of Electronic Records Department of Hectronics and Information Technology Ministry of munications & Information Technology, Concernment of India
- 2014 https://www.blog/eprayesh.com/online/admission 12 cPrayesh audigital unitrative for a digital india eptember 4 201
- 11 csAFL 2010 csAff convenience Security Assurance Francowick assessment of effectiveness of security Department of Liestronics and Information Technology, Ministry of o & Information Forhesiogy, Concerns
- 14. Current, 2003. Major quadrant for integrated document maherp was a project, much set likes turnerQM2001 IDM pdf accessed on April, 10, 2011
- 15 Genesis, E.O. Olawole, O.N. 2018. Lowards a Papetless' higher I diacatem System in Superial Concept. Challenges and Prespecta Journal of Life, atom Society and Behavioural Science.
- to Hillistand 5 Barr R O Roy A K 2015 Emergene Control Management solutions Management solutions: Roadmap Strategy and implementation challenges, International Journal of Information Management

- 17 Isacva M. Yosong, Y.H. 2016 Paperless unaversity. Ison mg can make it work." International Conference on Information Technology Based Higher Education and Training (TIMET), IFE1 Xplane
- 18 Kann. S 2012, Enterprise Contest Management Implementation A. new of Phases. Standards and Hest Practice Gradelines, Box.d. DE SY ASE 14(2)
- Kaushik A 2015 An evaluation of National Institutes of Technology (NITs) Library Website DESIDER Journal of Library & Information Technology, Vol 15, No. 1
- I 2016 Three Reasons Higher Education Pron are LaMonte Recruiting ECM, ARM White paper, www.konscantinolia.co.uk
- 23 Lamver B LaMonte T 2016 Enterprise Content Management What
- There What Freed, AIIM White paper www.koncaminolasse.nk. 22 MHRD 2017, http://mhnl.gov.in.e.comentor.retrieved.on.husember 20.2017
- 2) Mindloger, " app. www.mindlogics.com/intelligrams account on July 30 E
- nn fully 30.25

 NDIV. 2017 https://special.ndv/.com/cashless-bano-indea [4]
 news-detail Proc. and colleges are going digital to-climinate eash: payers to 1710119 7 accessed on July 10 2018
- 25. NITRKL 2018 http://library.nitrkl.ac.m/ accessed on 25 July 2018
- Nordheim, S. Piavanna, T. 2004. Customanism of Enterpris Content Management. An Exploratory Case Study. Proceedings of the The Hawari International Conference on System Sciences, IEEE Xplure
- 57 Soft in 2016. Samplefy Governance, Risk, and Compliance with Enterprise Contest Management, http://workercom/wp-content/uploads/2018/03/http://workercom/wp-content/uploads/2017/04 mCall CM774517 pdf
- 28 SRM, 2016 https://www.zoho.com/creator/customers/srm-university html accessed on July 10 2018
- 29. SUMS Consulting. 2017. Briefing Documents of Enterprise Content
- Management | UGC, 2017 National convention on digital initiatives for higher education, https://www.ugc.ac.ib.ugc.notices.aspx.hd=1786 retrieved on 4 January 2018
- 11 VTU, 2018 https://bangaloremotion.mdiatoties.com/bangalore/others viscos araya technological university mants to be paperless articlesh ow 62906243 cms. accessed on August 4 2018

AUTHORS PROFILE



Prof. H. Semath; has two decades of experience in higher education and services. She is employed at SRM line of Science and Technology since 1999 and served in various domines such as academics and administration She is passionate about the studies on higher education systems, qualification framework, and academic mobiles



Prof. A. Krishnamourthy has three docades of experience in injuncting education. He is currently employed at SASTRA Decised University. He is passionate about the studies on optimization wchengues muchine design renewable energy sources and higher influention systems

Retrieval Number Dis168048419 19CREBAR

Subdished By Blue Ever Intelligence Emp Sciences Publica



764

EXHIBIT GREEN HABITS:

WASTE MANAGEMENT:

SrNo	Observati	Problems*	Resulting losses*	measures*	Capital *	Projected savinas*
9	Waste Manage ment	Spilling of waste	Dirty used packages in and around the college	Incorporate need for cleanliness and place waste collection bins.	Rs.4500 /- per set	Reduced cleaning hours and good hygienic conditions.

Segregated waste management is key initiative to minimise costs. In addition, the reuse of the anticipated waste can be considered as and when the need arises. We also advice to source local.

These locally sourced bins may be placed all along the campus.

We suggest that these bins be colour coded to segregate the waste at

This option may look to be off the date but enriches the lives of local artisans and preserves the old art.

It is important to place a small placard as to why hand sewed bins are being put to use.

- The biggest being the empowering the rural youth in being economically self-sufficient.
- Bins are organic and biodegradable. Hence do not contribute to the carbon emissions. Leading to a very innovative Carbon Handprint initiative.
- Readily visible and easy to empty when half full.



OUTREACH

Sr No	Ob servation*	Problems*	Resulting losses*	Remedial measures*	Capital •	Projected savings*
10	Outreach	Share the	knowledge	by example,	by demon	stration, by
		habitual pr	ractice.			

The innovative approach should reach out to the society by predominantly exhibiting the same.

Rainwater management is important. However, being an educational institute, it is more important to dissipate the knowledge the information on

Why, How, when where should be discussed so that the importance and the benefits of Rainwater management is carried forward to the field and the students speak for the technology in day today basis...

ACTION PLAN SUMMARY:

Farmark the action plan.

- Invite subject experts for Tec talks.
- Organize in person panel discussions and interaction to propagate the knowledge and mitigate the problems in practicing the same.
- Prioritize the initiatives and execute.
- Observe the benefits and shortcomings.
- Workout further improvement by involving the staff and students.

MODE OF ACTION:

- The process of GREEN AUDIT & ENERGY CONSERVATION should be carried out in three steps.
- Good housekeeping practices using available manpower.
- Minor alterations using in house work culture with minimum investments on accessories as discussed.
- Capital investments, which may be required for installation of new methodologies may be taken up on phased manner.

Define the deadline for establishing the CARBON FOOTPRINT

We will be happy to assist you for any further advice/consultancy if required either on Rainwater management or on any of the measures discussed in the report. We hope the measures are implemented in good spirit and to human convenience and comfort.

For SUNSHUBH TECHNOVATIONS PVT LTD.,

Mallikarjun A. Kambalyal. B.E. (E&C)
Certified Energy Auditors EA-3485

LIST OF INSTRUMENTS:

During the process of the Audit, the following lists of instruments were used.

Sr No.	INSTRUMENT	MAKE	APPLICATION
1	Digital Power Analyser (PC Interfaced)	SCHIVAN ARNOX	Electrical Machinery.
2	Accessories -3000 Amps	ARNOX	Higher load UPTO 3000 Amps,
3	Accessories -200 Amps	ARNOX	UPTO 200 Amps,
4	Thermal Imager	FLIR	Identify loose contacts and bearing losses
5	Power Analyser (Manual)	MECO	Electrical Machinery.
6	Infrared Thermometer	METRAVI	Thermal (Fuel) Energy.
7	Digital (Contact) Temperature & Humidity Meter.		Electrical Machinery. (A/C's And Cooling Towers)
8	Digital Tachometer	METRAVI	Electrical Machinery.(A/C's And Cooling Towers)
9	Lux Meter	METRAVI	General & Task Lighting.
10	Sound Level Meter	METRAVI	Electrical Machinery. Generator Sound Proofing
11	Digital Anemometer	METRAVI	Electrical Machinery.(A/C's And Cooling Towers)
12	Digital KW Meter	METRAVI	Electrical Machinery.
13	Digital Power Factor Meter	METRAVI	Electrical Machinery.

SUNSHUBH TECHNOVATIONS PVT LTD.,

of 96

		HP	Page No. 95
14	Lap Top Computer	1.1	To Interface The Instruments For More Accurate -Sophisticated Readings In Sensitive Equipments.
15	Ultrasonic flow meter		Measure liquid flow.
	Portable Vibration		medsore liquid flow.
16	Meter.	METRAVI	Effect Of Filtration - Sewing System. Structural Stability
17	Live cable detector probe	-	Detect hidden cables for safety audit.
18	Power Analyser – EMM 5	Beluk	For remote communication and detailed audit.
19	Power Analyser – ELITE PRO	Beluk	Power Analyser.
20	ETV meter, KWh & PF meters for site recording.	Secure	
21	PT's for Transformer audits.	KALPA	On field auditing of transformer loading and imbalance evaluation.

SUNSHUBH TECHNOVATIONS PVT LTD., Page No. 96 of 96

NOTES: